Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG-TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF 96
IDENTIFICATION NUMBER

COMMANDED BY

LIEUTENANT JAMES R. WILLIAMS, U.S.N.

Attached to
- _____ Division,
- SERVICE SQUADRON FICE Squadron,
- _____ Flotilla,
- SERVICE FORCE U.S. PACIFIC Fleet,
- FOURTEENTH Naval District,

Commencing + 1Ø 1 SEPTEMBER, 1964,
(zone time and date)

at PEARL HARBOR, HAWAII,
(location)

and ending + 1Ø 3Ø SEPTEMBER, 1964,
(zone time and date)

at PEARL HARBOR, HAWAII
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVY—PEARL HARBOR, T. H.

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____ (Day) _____ (Date) _____ (Month), 19__

APPROVED:

_____ U.S.N. COMMANDING

EXAMINED:

_____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE Tuesday (Day) 1 (Date) September (Month) 19 64

AT/~~PASSAGE FROM~~: Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	070	1	10	Sct	2990	79	71	4	2000	Cu			
02	070	1	10	Sct	2990	79	71	4	2000	Cu			
03	070	1	10	Sct	2990	79	71	5	2000	Cu			
04	070	1	10	Sct	2989	80	71	5	2000	Cu			
05	070	1	10	Sct	2989	81	71	5	2000	Cu			
06	070	2	10	Sct	2989	81	71	5	2000	Cu			
07	070	2	10	Sct	2989	81	71	5	2000	Cu			
08	070	2	10	Sct	2989	83	75	4	2000	Cu			
09	070	2	10	Sct	2989	83	75	4	2000	Cu			
10	070	2	10	Sct	2989	83	75	4	2000	Cu			
11	070	1	10	Sct	2988	87	75	5	2000	Cu			
12	040	1	10	Sct	2987	90	75	5	2000	Cu			
13	040	1	10	Sct	2984	90	75	5	2000	Cu			
14	070	1	10	Sct	2984	92	78	3	2000	Cu			
15	070	1	10	Sct	2983	95	80	3	2000	Cu			
16	070	3	10	Sct	2983	95	80	4	2000	Cu			
17	040	3	10	Sct	2983	97	80	3	2000	Cu			
18	040	2	10	Sct	2985	93	80	3	2000	Cu			
19	040	2	10	Sct	2985	86	77	3	2000	Cu			
20	040	2	10	Sct	2986	85	76	3	2000	Cu			
21	040	2	10	Sct	2987	84	77	3	2000	Cu			
22	040	3	10	Sct	2989	83	75	3	2000	Cu			
23	040	3	10	Sct	2990	82	74	3	2000	Cu			
24	040	3	10	Sct	2989	82	74	3	2000	Cu			
								3					

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 2200

REMARKS

00-04 Moored port side to berth, Pier 24 Seventeen (S-17) U.S. Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition Yoke (modified) set. Receiving electrical power, potable water and telephone service from the pier. Ships present include elements units of the U.S. Pacific Fleet and Marines yard, district and foreign craft. 50 AS is at COMSUBFORPAC.

Lt(jg) J.A. Hall, USNR

04-08 Moored as before. 0645 Mustered the crew at quarters. Absentees: None.

Lt(jg) J.A. Hall USNR

APPROVED: James L. Abbott
Lt(jg) R.D. Mason U.S.N. COMMANDING

EXAMINED:
Lt(jg) R.D. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Alvadi (CTF-96) Tuesday (Day) 1 (Date) September (Month), 19 6X

0800-1200 Moored as before. 0818 Made daily inspection of the magazines. Conditions: Normal.

Ens C. P. McKenzie, USNR

1200-1600 Moored as before.

Ens C. P. McKenzie, USNR

1600-2000 Moored as before 1800 set condition yoke modified

Ens C. P. McKenzie, USNR

2000-2400 Moored as before.

Ens C. P. McKenzie, USNR

APPROVED: EXAMINED:

[signature] U.S.N. COMMANDING [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Wednesday 2 September 19 64
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	1	10	Sct	2989	80	71	3	2000	Cu			
02	040	1	10	Sct	2988	79	72	3	2000	Cu			
03	040	1	10	Sct	2988	79	73	3	2000	Cu			
04	040	1	10	Sct	2988	79	73	3	2000	Cu			
05	040	1	10	Sct	2989	79	73	3	2000	Cu			
06	040	1	10	Sct	2989	82	73	3	2000	Cu			
07	040	1	10	Sct	2989	83	73	3	2000	Cu			
08	040	1	10	Sct	2989	85	74	3	2000	Cu			
09	040	1	10	Sct	2989	85	74	3	2000	Cu			
10	040	2	10	Sct	2989	85	74	3	2000	Cu			
11	040	3	10	Sct	2989	86	75	5	2000	Cu			
12	040	3	10	Bkn	2989	89	78	7	2000	Cu			
13	040	3	10	Bkn	2986	90	78	7	2000	Cu			
14	040	5	10	Bkn	2986	92	79	7	2000	Cu			
15	040	2	10	Bkn	2988	92	79	6	2000	Cu			
16	040	4	10	Sct	2990	89	79	5	2000	Cu			
17	040	4	10	Sct	2990	82	79	5	2000	Cu			
18	040	4	10	Sct	2991	82	78	5	2000	Cu			
19	040	5	10	Sct	2991	82	77	5	2000	Cu			
20	040	2	10	Sct	2991	82	75	4	2000	Cu			
21	040	2	10	Bkn	2990	80	75	6	2000	Cu			
22	040	2	10	Sct	2991	80	75	4	2000	Cu			
23	040	1	10	Sct	2992	79	74	3	2000	Cu			
24	040	1	10	Sct	2989	81	74	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 2200

REMARKS

00 - 04 Moored port side to in berth Sierra Seventeen (S-17) US Naval Submarine Base, Pearl Harbor Hawaii with Standard mooring lines doubled. Material Condition yoke modified is set. Receiving electrical, steam, telephone and potable water services from the pier. Ships present include various units of the US Pacific Fleet, HMRNZ1 Navy and district and Yard Activ. Col 04 Com Asw For Pac.

Ens. C. P. McKenzie, USNR

04 - 08 Moored as before. 0645 Mustered the crew at quarters. Absentees: none.

Ens C. P. McKenzie, USNR

APPROVED:

Lt. James R. Williams U.S.N. COMMANDING

EXAMINED:

Lt(jg) RS Mason, U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Catawba (ATF-96) Wednesday (Day) 2 (Date) September (Month) 19 64

0800-1200 Moored As Before 0855 Made Daily Inspection of Magazines. Conditions Normal

Ltjg F. E. Horton USN

1200-1600 Moored As Before

Ltjg F. E. Horton USN

1600-2000 Moored As Before 1800 Set Modified Material Condition Yoke

Ltjg F. E. Horton USN

2000-2400 Moored As Before

Ltjg F. E. Horton USN

APPROVED:

Lt. James R. Williams U.S.N. COMMANDING

EXAMINED:

Ltjg R. S. Mason, U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 W DATE Thursday (Day) 3 (Date) September (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor, Oahu TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	1	10	Cl	2988	80	72	3	2000	Cu			
02	040	1	10	Cl	2988	79	73	3	2000	Cu			
03	040	1	10	Cl	2988	79	73	3	2000	Cu			
04	040	1	10	Cl	2988	79	73	3	2000	Cu			
05	040	1	10	Cl	2989	79	73	3	2000	Cu			
06	040	1	10	Cl	2989	79	73	3	2000	Cu			
07	040	1	10	Cl	2989	79	73	3	2000	Cu			
08	040	1	10	Cl	2992	81	72	3	2000	Cu			
09	040	1	10	Cl	2993	83	76	3	2000	Cu			
10	040	1	10	Cl	2993	86	76	3	2000	Cu			
11	040	1	10	Cl	2992	87	77	3	2000	Cu			
12	040	1	10	Cl	2992	87	79	3	2000	Cu			
13	040	3	10	Cl	2995	88	81	3	2000	Cu			
14	040	3	10	Cl	2995	88	81	3	2000	Cu			
15	040	3	10	Cl	2995	88	81	3	2000	Cu			
16	040	3	10	Cl	2995	88	81	3	2000	Cu			
17	040	3	10	Cl	2995	88	81	3	2000	Cu			
18	040	3	10	Cl	2995	88	81	3	2000	Cu			
19	040	3	10	Cl	2998	85	77	3	2000	Cu			
20	040	3	10	Cl	2998	85	77	3	2000	Cu			
21	040	3	10	Cl	2998	83	76	3	2000	Cu			
22	040	3	10	Cl	2998	82	76	3	2000	Cu			
23	040	3	10	Cl	2998	81	76	3	2000	Cu			
24	040	3	10	Cl	2998	80	75	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 MOORED PORT SIDE TO IN BERTH SIERRA SEVENTEEN (FWD), US SUBMARINE BASE, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER, ELECTRICAL POWER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS ~~CINCPACFLT~~. COMASWFORPAC

RSN

LTJG JE Horton USN

04-08 MOORED AS BEFORE. 0645 MUSTERED CREW AT QUARTERS: ABSENTEES: NONE.

LTJG JE Horton USN

APPROVED:

LT James R. Schuckman U.S.N. COMMANDING

EXAMINED:

Stgj RS Nasen, U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 3 (Date) SEPTEMBER (Month), 19 64

08-12 moored as before. 0820 made daily inspection of magazines. Conditions: normal.

CWO J.L. Hollis, USN

12-16 moored as before. ~~1230 Gray, Alan J., FA 6161-51-03 USN Transfered to U.S. Army General Irwin Hospital, FRD under treatment.~~

CWO J.L. Hollis, USN

16-20 moored as before. 1800 set material condition yoke (modified).

CWO J.L. Hollis, USN

20-24 moored as before.

CWO J.L. Hollis, USN

APPROVED: James R. Cobb U.S.N. COMMANDING

EXAMINED: Lt(jg) D.S. Mason, U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE FRIDAY (Day) 4 (Date) SEPTEMBER (Month), 19 64

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	Sct	2998	79	74	2	2000	Cu			
02	040	1	10	Sct	2998	79	74	3	2000	Cu			
03	040	1	10	Sct	2999	78	74	3	2000	Cu			
04	040	2	10	Sct	2999	76	74	3	2000	Cu			
05	040	2	10	Sct	2999	76	74	3	2000	Cu			
06	040	2	10	Sct	2999	78	76	3	2000	Cu			
07	040	2	10	Sct	2999	79	78	2	2000	Cu			
08	040	2	10	Sct	2998	80	78	2	2000	Cu			
09	040	2	10	Sct	2998	82	78	2	2000	Cu			
10	040	2	10	Sct	2997	84	78	2	2000	Cu			
11	040	2	10	Sct	2998	85	78	2	2000	Cu			
12	040	2	10	Sct	2996	91	79	2	2000	Cu			
13	040	2	10	Sct	2993	92	79	2	2000	Cu			
14	040	3	10	Sct	2989	94	80	2	2000	Cu			
15	040	3	10	Sct	2986	94	80	2	2000	Cu			
16	040	1	10	Sct	2984	94	80	2	2000	Cu			
17	050	1	10	Sct	2984	94	80	2	2000	Cu			
18	070	1	10	Sct	2984	89	77	2	2000	Cu			
19	070	1	10	Sct	2984	88	76	2	2000	Cu			
20	070	2	10	Sct	2985	87	76	3	2000	Cu			
21	070	2	10	Sct	2987	85	76	3	2000	Cu			
22	070	2	10	Sct	2988	83	75	3	2000	Cu			
23	070	2	10	Sct	2990	81	74	3	2000	Cu			
24	050	2	10	Sct	2990	80	74	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

00-04 moored portside to berth Sierra Seventeen (S-17) fwd. U.S. Submarine Base, Pearl Harbor, Hawaii, with ~~STD~~ spearing lines doubled. USS MOCTOBI (ATF-105) moored outboard to starboard. Material Condition yoke (modified) set. Receiving Electrical power, potable water, and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, units of the allied navies, district and small craft. S.O.P.A. is ~~Com Pac Flt~~. COMASWFORPAC DSR

CWO J.L. Hallis, USN

04-08 moored as before. 0645 mustered the crew at Quarters. Absentees: None.

CWO J.L. Hallis USN

APPROVED:

Lt. James R. Williams U.S.N. COMMANDING

EXAMINED:

Stig R.S. Mason, U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Friday (Day) 4 (Date) September (Month) 19 64

08-12 Moored as before. 1014 Made daily inspection of magazines. Conditions: Normal.

Ltjg JC Hall, USNR

12-16 Moored as before.

Ltjg JC Hall, USNR

16-20 Moored as before. 1800 Set material condition Yoke (modified).

Ltjg JC Hall, USNR

20-24 Moored as before.

Ltjg JC Hall, USNR

APPROVED:

Lt. James L. Atkinson U.S.N. COMMANDING

EXAMINED:

Stjg RS Mason, U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Saturday 5 September 19 64
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	4	10	Sct	2990	80	73	2	2000	Cu			
02	040	2	10	Sct	2989	80	73	2	2000	Cu			
03	040	3	10	Sct	2990	80	73	2	2000	Cu			
04	040	3	10	Sct	2990	80	73	2	2000	Cu			
05	040	3	10	Sct	2990	80	73	2	2000	Cu			
06	040	3	10	Sct	2985	78	73	2	2000	Cu			
07	040	3	10	Sct	2985	78	73	2	2000	Cu			
08	055	2	10	Sct	2986	82	76	4	2000	Cu			
09	060	1	10	BKN	2987	86	77	6	2000	Cu			
10	085	1	10	BKN	2988	87	78	7	2000	Cu			
11	—	—	10	BKN	2990	89	80	6	2000	Cu			
12	—	—	10	BKN	2990	89	80	6	2000	Cu			
13	—	—	10	BKN	2980	89	80	6	2000	Cu			
14	—	—	10	BKN	2980	90	80	6	2000	Cu			
15	—	—	10	BKN	2980	90	80	6	2000	Cu			
16	—	—	10	BKN	2981	90	80	8	2000	Cu			
17	—	—	10	BKN	2981	87	80	8	2000	Cu			
18	—	—	10	BKN	2981	85	79	8	2000	Cu			
19	—	—	10	BKN	2981	85	78	8	2000	Cu			
20	040	1	10	BKN	2981	84	78	8	2000	Cu			
21	040	1	10	BKN	2984	84	76	6	2000	Cu			
22	040	1	10	BKN	2987	83	74	6	2000	Cu			
23	040	1	10	Sct	2989	81	73	5	2000	Cu			
24	040	1	10	Sct	2989	80	73	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L 1W port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

00-04 Moored port side to berth Sierra Secretary (5-17), forward, U.S. Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. USS Mactabi (ATF-105) moored outboard to starboard. Material condition Yoke (modified) set. Receiving electrical power, potable water & telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, foreign, district craft & small craft. SOPA is ComASWFORPAC.

Ltjg J.C. Hall, USNR

04-08 Moored as before. *0745 Mustered the crew on stations. Absentees: None. *0711 CINCPACFLT RETURNED TO PEARL assumed duties as SOPA

Ltjg J.C. Hall, USNR

APPROVED: Lt. James R. Aikman U.S.N. COMMANDING

EXAMINED: Stjg R.S. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Saturday (Day) 5 (Date) September (Month) 10 64

Ø8-12 Moored as before Ø843 Made daily inspection of the magazines. Conditions: Normal. 1127 USS Aubrey (DER-98) Moored Debris 18 fwd.

Ens C. P. McKenzie, USNR

12-16 Moored as before

Ens C. P. McKenzie, Ens, USNR

16-2Ø Moored as before 18ØØ set condition yoke modified.

Ens C.P. McKenzie, USNR

20-24 Moored as before.

Ens C. P. McKenzie USNR

APPROVED: Lt. James R. Williamson U.S.N. COMMANDING

EXAMINED: Sltg RS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Alnaki (AAF-96) ZONE DESCRIPTION +10W DATE Sunday (Day) 6 (Date) September (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	1	10	Clr	2989	79	73	4	2000	Cu			
02	050	1	10	Clr	2989	79	73	3	2000	Cu			
03	060	1	10	Clr	2990	78	73	3	2000	Cu			
04	070	.5	10	Clr	2984	80	74	2	2000	Cu			
05	070	.5	10	Clr	2984	80	74	2	2000	Cu			
06	090	1	10	Clr	2986	79	75	4	2000	Cu			
07	040	1	10	BKN	2986	79	75	7	2000	Cu			
08	040	2	10	BKN	2986	79	75	7	2000	Cu			
09	040	3	10	BKN	2990	86	78	8	2000	Cu			
10	040	4	10	BKN	2989	88	79	8	2000	Cu			
11	040	4	10	BKN	2988	91	80	8	2000	Cu			
12	040	3	10	BKN	2989	93	82	7	2000	Cu			
13	040	3	10	BKN	2989	94	83	7	2000	Cu			
14	040	3	10	BKN	2989	95	83	7	2000	Cu			
15	040	3	10	BKN	2989	94	82	7	2000	Cu			
16	040	2	10	BKN	2990	86	85	7	2000	Cu			
17	040	2	10	BKN	2990	86	85	7	2000	Cu			
18	070	1	10	BKN	2990	85	85	7	2000	Cu			
19	070	1	10	BKN	2990	86	85	7	2000	Cu			
20	—	—	10	BKN	2990	88	84	7	2000	Cu			
21	—	—	10	BKN	2990	88	84	7	2000	Cu			
22	—	—	10	BKN	2990	88	83	7	2000	Cu			
23	—	—	10	BKN	2990	88	83	7	2000	Cu			
24	—	—	10	BKN	2990	86	83	7	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored port side to ~~for~~ in berth Sierra 17 fwd in US Naval Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. USS Mactobi (AFT-105) moored alongside to starboard. Material condition yoke modified is set ~~Zebra~~ Receiving Electrical steam, potable water, and telephone services from the pier. Ships present include various units of the US Pacific Fleet, District and yard Craft. SOPA is ~~Comairforpac~~ CINCPACFLT

DSR

Ens C. P. McKenzie, USNR

04-08 Moored as before. 0745 Mustered the crew on stations. Absentees: None.

Ens C. P. McKenzie, USNR

APPROVED: Lt. James R. Aldrich U.S.N. COMMANDING

EXAMINED: Stgt. R.S. Moore U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SUNDAY (Day) 6 (Date) SEPTEMBER (Month) 64

0B-12 MOORED AS BEFORE. 0755 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS: NORMAL.

LTJG FE Horton USN

12-16 MOORED AS BEFORE.

LTJG FE Horton USN

1620 MOORED AS BEFORE 1800 SET MODIFIED MATERIAL CONDITION YOKE

LTJG FE Horton USN

2000-24 MOORED AS BEFORE.

LTJG FE Horton USN

APPROVED: Lt. James L. Tolchinsky U.S.N. COMMANDING

EXAMINED: Lt(jg) R J Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE MONDAY (Day) 7 (Date) SEPTEMBER (Month) 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	5	10	HW	2990	84	79	7	2000	Cu			
02	040	1	10	HW	2990	81	79	7	2000	Cu			
03	040	1	10	HW	2990	80	79	7	2000	Cu			
04	040	1	10	HW	2988	83	77	7	2000	Cu			
05	040	1	10	HW	2987	82	77	7	2000	Cu			
06	040	1	10	HW	2987	81	76	7	2000	Cu			
07	040	1	10	HW	2987	82	76	7	2000	Cu			
08	040	1	10	HW	2990	85	77	7	2000	Cu			
09	040	1	10	HW	2990	87	77	7	2000	Cu			
10	040	1	10	HW	2990	88	79	7	2000	Cu			
11	040	1	10	HW	2990	90	81	7	2000	Cu			
12	040	2	10	ET	2990	89	82	5	2000	Cu			
13	040	2	10	ET	2991	91	82	5	2000	Cu			
14	040	2	10	ET	2992	92	82	4	2000	Cu			
15	040	2	10	ET	2993	93	82	4	2000	Cu			
16	040	3	10	ET	2984	97	84	4	2000	Cu			
17	040	2	10	ET	2985	96	84	4	2000	Cu			
18	040	2	10	ET	2986	93	83	3	2000	Cu			
19	040	2	10	ET	2986	89	81	3	2000	Cu			
20	040	1	10	ET	2986	89	81	3	2000	Cu			
21	040	1	10	ET	2986	89	81	3	2000	Cu			
22	040	1	10	ET	2986	89	81	3	2000	Cu			
23	040	1	10	ET	2986	89	81	3	2000	Cu			
24	040	1	10	ET	2985	87	79	3	2000	Cu			

POSITION	ZONE	TIME
0800 L IN PORT		BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED PORT SIDE TO IN BERTH SIERRA SEVENTEEN. U.S. SUBMARINE BASE PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. USS MOCTOBI (ATF-105) MOORED ALONGSIDE TO STARBOARD. RECEIVING FRESH WATER, ELECTRICAL POWER, AND TELEPHONE SERVICE FROM THE PIER. MODIFIED MATERIAL CONDITION YOKE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT, CRAFT. SOPA IS CINCPACFLT.

LTJG LE Horton USN

04-08 MOORED AS BEFORE 0745 MUSTERED CREW ON STATIONS: ABSENTEES NONE

LTJG LE Horton USN

APPROVED: Lt. James R. Schuchmann U.S.N. COMMANDING

EXAMINED: Ltjg R S Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 7 (Date) September (Month) 19 64

08-12 moored as before. 0840 made daily Inspection of magazines - Conditions; Normal.

CWO JC Hollis, USN

12-16 moored as before.

CWO JC Hollis, USN

16-20 moored as before. 1800 set material Condition yoke (modified).

CWO JC Hollis, USN

20-24 moored as before.

CWO JC Hollis, USN

APPROVED:

Lt. James R. Tolleshaug U.S.N. COMMANDING

EXAMINED:

Ltjg RS Mason, U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE TUESDAY (Day) 8 (Date) SEPTEMBER (Month), 19 64

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	Σ_T	2985	85	77	3	2000	Cu			
02	040	3	10	Σ_T	2985	83	76	4	2000	Cu			
03	040	2	10	Σ_T	2985	81	75	3	2000	Cu			
04	040	2	10	Σ_T	2985	81	75	3	2000	Cu			
05	040	2	10	Σ_T	2985	81	76	3	2000	Cu			
06	040	2	10	Σ_T	2987	81	76	3	2000	Cu			
07	040	2	10	Σ_T	2987	83	77	3	2000	Cu			
08	040	2	10	Σ_T	2987	84	77	3	2000	Cu			
09	040	2	10	Σ_T	2987	86	79	4	2000	Cu			
10	040	2	10	Σ_T	2987	88	79	4	2000	Cu			
11	040	4	10	Σ_T	2987	90	80	4	2000	Cu			
12	040	3	10	Σ_T	2987	92	82	4	2000	Cu			
13	040	4	10	Σ_T	2988	93	83	4	2000	Cu			
14	040	4	10	Σ_T	2986	93	83	4	2000	Cu			
15	040	4	10	Σ_T	2984	94	84	4	2000	Cu			
16	040	4	10	Σ_T	2982	94	84	4	2000	Cu			
17	040	4	10	Σ_T	2985	92	83	3	2000	Cu			
18	040	4	10	Σ_T	2984	90	83	4	2000	Cu			
19	040	4	10	Σ_T	2986	90	83	4	2000	Cu			
20	040	4	10	Σ_T	2986	87	81	4	2000	Cu			
21	040	4	10	Σ_T	2986	85	79	4	2000	Cu			
22	040	3	10	Σ_T	2988	83	77	4	2000	Cu			
23	040	3	10	Σ_T	2990	82	75	4	2000	Cu			
24	040	3	10	Σ_T	2990	82	78	4	2000	Cu			

POSITION	ZONE	TIME
0800 L IN PORT		BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

00-04 moored portside to berth Sierra Sweeten (S-17) U.S. Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. U.S.S. Mactobi (ATF-105) moored outboard to starboard. material condition yoke (modified) Set. Receiving Electrical power potable water and telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet units & allied navies district and Small Crafts. S.O.P.A. is CinCPac Flt.

CWO JC Hollis, USN

04-08 Moored as before. 0645 mustered the crew at Quarters. Absentees: none.

CWO JC Hollis, USN

APPROVED: Lt. James R. Williamson U.S.N. COMMANDING

EXAMINED: Ltjg RS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Tuesday (Day) / 8 (Date) September (Month), 10 64

08-12 Moored as before. 0859 Made daily inspections of Magazines. Auditors: Normal.

Ltjg J.A. Hall, USNR

12-16 Moored as before.

Ltjg J.A. Hall, USNR

16-20 Moored as before. 1800 Set material condition Yoke (modified).

Ltjg J.A. Hall, USNR

20-24 Moored as before

Ltjg J.A. Hall, USNR

APPROVED: Lt. James L. Tabellionis U.S.N. COMMANDING

EXAMINED: Ltjg R.S. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION tid-w DATE Wednesday (Day) 23 (Date) September (Month) 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	Sct	2991	79	78	4	2000	Cu			
02	040	2	10	Sct	2991	79	78	4	2000	Cu			
03	040	2	10	Sct	2991	79	78	4	2000	Cu			
04	040	2	10	Sct	2992	79	78	4	2000	Cu			
05	040	2	10	Sct	2990	80	78	5	2000	Cu			
06	040	2	10	Sct	2988	80	78	5	2000	Cu			
07	040	2	10	Sct	2986	80	76	5	2000	Cu			
08	040	2	10	Sct	2986	80	77	5	2000	Cu			
09	040	2	10	Sct	2989	85	77	5	2000	Cu			
10	040	2	10	Sct	2989	85	77	5	2000	Cu			
11	040	2	10	Sct	2989	85	77	5	2000	Cu			
12	040	2	10	Sct	2989	85	77	5	2000	Cu			
13	040	2	10	Sct	2990	85	77	5	2000	Cu			
14	040	2	10	Sct	2990	85	77	5	2000	Cu			
15	040	2	10	Sct	2990	85	77	5	2000	Cu			
16	040	2	10	Sct	2993	93	78	5	2000	Cu			
17	040	2	10	Sct	2993	92	77	5	2000	Cu			
18	040	2	10	Sct	2993	90	75	5	2000	Cu			
19	040	2	10	Sct	2993	88	75	5	2000	Cu			
20	040	2	10	Sct	2993	80	75	5	2000	Cu			
21	040	2	10	Sct	2993	80	75	5	2000	Cu			
22	040	2	10	Sct	2992	79	75	5	2000	Cu			
23	040	2	10	Sct	2992	78	75	5	2000	Cu			
24	040	2	10	Sct	2992	78	75	5	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 2200

REMARKS

00-04 Moored portside to berth Sierra seventeen (S-17), U.S. Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. U.S.S. Mortobis (ATF-105) moored outboard to starboard. Material condition YOKE (modified) set receiving electrical power, potable water and telephone services from the pier. Ships present this date include various units of the U.S. Pacific Fleet, foreign, district and small craft. SOPA is CinCPACFLT.

Ltjg JL Hall, USNR

04-08 Moored as before. 0645 Mustered the crew at quarters. All stations. Secure

Ltjg JL Hall, USNR

APPROVED:

Lt. James L. Schellman U.S.N. COMMANDING

EXAMINED:

Ltjg RS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Wednesday 9 September 64
(Day) (Date) (Month) 19

0800-1200 Moored as before. 0900 Made daily inspection of the magazines. Conditions: Normal

Ens C.P. McKenzie, USNR

1200-1600 Moored as before

Ens C.P. McKenzie, USNR

1600-2000 Moored as before. 1800 Set condition yoke modified.

Ens C.P. McKenzie, USNR

2000-2400 Moored as before

Ens C.P. McKenzie, USNR

APPROVED: EXAMINED:

CAPT James L. Galentine U.S.N. COMMANDING Lt(jg) R.S. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Thursday (Day) 10 (Date) September (Month), 19 6X

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	Sct	2992	78	75	5	2000	Cu			
02	040	2	10	Sct	2995	80	77	5	2000	Cu			
03	040	2	10	Sct	2995	80	77	5	2000	Cu			
04	040	2	10	Sct	2995	80	77	5	2000	Cu			
05	040	2	10	Sct	2995	80	77	5	2000	Cu			
06	040	2	10	Sct	2995	80	77	5	2000	Cu			
07	040	2	10	Sct	2995	80	77	5	2000	Cu			
08	040	1	10	Sct	2993	80	77	5	2000	Cu			
09	040	1	10	Sct	2990	85	77	5	2000	Cu			
10	040	1	10	Sct	2990	85	77	5	2000	Cu			
11	040	1	10	Sct	2990	86	76	5	2000	Cu			
12	040	3	10	Sct	2990	87	76	4	2000	Cu			
13	040	3	10	Sct	2987	90	76	4	2000	Cu			
14	040	3	10	Sct	2986	92	76	4	2000	Cu			
15	040	3	10	Sct	2985	92	76	4	2000	Cu			
16	040	4	10	Sct	2984	92	76	4	2000	Cu			
17	040	4	10	Sct	2984	91	76	4	2000	Cu			
18	040	4	10	Sct	2984	89	76	4	2000	Cu			
19	040	4	10	Sct	2984	85	74	4	2000	Cu			
20	040	2	10	Sct	2986	84	74	4	2000	Cu			
21	040	2	10	Sct	2990	83	73	4	2000	Cu			
22	040	2	10	Sct	2991	82	73	3	2000	Cu			
23	040	3	10	Sct	2992	81	72	3	2000	Cu			
24	040	2	10	Sct	2992	81	72	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 2200

REMARKS

00-04 Moored portside to in berth Sierra Seventeen (SS-17) US Submarine Base, Pearl Harbor Hawaii with standard mooring lines doubled. USS Mactabi (ATF-105) moored alongside to starboard. Material Condition yoke modified is set. Receiving steam, electrical, telephone, and potable water from the pier. Ships present include various units of the US Pacific Fleet, District, and yard craft. SOPA is CinCPacFlt.

Ens C. P. McKenzie, USNR

04-08 Moored as before 0675 Muster of the crew ~~on~~ at quarters. No Absentees: None

Ens C. P. McKenzie, USNR

APPROVED: W. James R. Calhoun U.S.N. COMMANDING

EXAMINED: Stig D. Nasen U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 THURSDAY (Day) 10 (Date) SEPTEMBER (Month) 64

0800-1200 MOORED AS BEFORE 0910 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS: NORMAL.

LTJG LE Horton USN

1200-1600 MOORED AS BEFORE

LTJG LE Horton USN

1600-2000 MOORED AS BEFORE, 1800 SET MODIFIED MATERIAL CONDITION YOKE

LTJG LE Horton USN

2000-2400 MOORED AS BEFORE

LTJG LE Horton USN

APPROVED:

Lt. James R. Williams U.S.N. COMMANDING

EXAMINED:

Stgg RSN Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE FRIDAY 11 SEPTEMBER, 19 64
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	1	10	BKN	2990	86	73	6	2000	Cu			
02	040	1	10	BKN	2990	86	73	6	2000	Cu			
03	040	1	10	BKN	2990	86	73	6	2000	Cu			
04	070	2	10	BKN	2989	78	73	6	2000	Cu			
05	070	2	10	BKN	2989	78	73	6	2000	Cu			
06	090	2	10	BKN	2989	78	73	6	2000	Cu			
07	090	3	10	BKN	2991	78	73	6	2000	Cu			
08	090	1	10	SCT	2990	79	73	3	2000	Cu			
09	070	1	10	SCT	2991	82	74	3	2000	Cu			
10	070	1	10	SCT	2991	85	75	3	2000	Cu			
11	070	2	10	SCT	2991	89	75	3	2000	Cu			
12	070	2	10	SCT	2990	90	75	3	2000	Cu			
13	070	2	10	SCT	2990	92	76	3	2000	Cu			
14	070	2	10	SCT	2989	93	76	3	2000	Cu			
15	070	5	10	SCT	2986	92	77	3	2000	Cu			
16	070	4	10	SCT	2987	92	77	3	2000	Cu			
17	080	4	10	SCT	2987	93	76	4	2000	Cu			
18	050	4	10	SCT	2988	92	76	4	2000	Cu			
19	050	3	10	SCT	2989	86	74	4	2000	Cu			
20	040	2	10	SCT	2989	86	74	4	2000	Cu			
21	040	2	10	SCT	2989	86	74	4	2000	Cu			
22	040	1	10	SCT	2989	86	74	4	2000	Cu			
23	040	1	10	SCT	2989	86	74	4	2000	Cu			
24	040	1	10	SCT	2989	86	74	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 2200

REMARKS

0000-0400 MOORED PORTSIDE TO IN BERTH SIERRA SEVENTEEN, U.S. SUBMARINE BASE, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. USS MOCTOBI (ATF-105) MOORED ALONGSIDE TO STARBOARD. RECEIVING FRESH WATER, ELECTRICAL POWER, AND TELEPHONE SERVICE FROM THE PIER. MODIFIED MATERIAL CONDITION YOKE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS COMPACFLT.

LTJG LE Horton USN

0400-0800 MOORED AS BEFORE 0645, MUSTERED CREW AT QUARTERS: ABSENTEES: NONE

LTJG LE Horton USN

APPROVED: Lt. James R. Sullivan U.S.N. COMMANDING

EXAMINED: Stgy R S Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 11 (Date) SEPTEMBER (Month) 19 64

08-12 moored as before. 1020 made daily inspection of magazines: Conditions: Normal. Conducted weekly test and inspection of magazine Sprinkler System. Test: Satisfactory.

CWO Jd Hollis. USN

08-12 moored as before.

CWO Jd Hollis, USN

12-16 moored as before.

CWO Jd Hollis. USN

16-20 moored as before. 1800 Set material Condition yoke (modified)

CWO Jd Hollis, USN

20-24 moored as before.

CWO Jd Hollis. USN

APPROVED: EXAMINED:

Lt. James R. Blackburn U.S.N. COMMANDING Lt(jg) DS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE SATURDAY (Day) 12 (Date) SEPTEMBER (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	1	10	SCT	2989	84	72	5	2000	Cu			
02	040	1	10	BKN	2990	84	72	6	2000	Cu/ST			
03	040	1	10	BKN	2992	80	72	6	2000	Cu/ST			
04	040	1	10	R	2991	79	72	6	2000	Cu/ST			
05	040	1	10	SCT	2990	79	72	5	2000	Cu/ST			
06	040	1	10	SCT	2990	79	72	3	2000	Cu			
07	040	1	10	SCT	2990	80	73	3	2000	Cu			
08	040	2	10	SCT	2992	80	74	3	2000	Cu			
09	040	2	10	SCT	2994	84	75	3	2000	Cu			
10	040	2	10	SCT	2995	87	75	3	2000	Cu			
11	040	2	10	SCT	2996	88	75	3	2000	Cu			
12	040	2	10	SCT	2996	88	75	3	2000	Cu			
13	040	2	10	SCT	2996	88	75	3	2000	Cu			
14	040	2	10	SCT	2996	88	75	3	2000	Cu			
15	040	2	10	SCT	2992	85	73	3	2000	Cu			
16	040	2	10	SCT	2992	85	75	3	2000	Cu			
17	040	2	10	SCT	2992	85	75	3	2000	Cu			
18	040	2	10	SCT	2992	84	75	3	2000	Cu			
19	040	2	10	SCT	2992	84	75	3	2000	Cu			
20	040	2	10	SCT	2990	83	75	3	2000	Cu			
21	040	1	10	SCT	2992	80	72	3	2000	Cu			
22	040	1	10	SCT	2992	80	71	3	2000	Cu			
23	040	1	10	SCT	2993	79	70	3	2000	Cu			
24	040	1	10	SCT	2995	80	70	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 2200

REMARKS

00-04 moored port side to berth Sierra Seventeen (S-17) fwd. U.S. naval Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. U.S.S. Moctobi (ATF-105) moored outboard to starboard. Material condition yoke (modified) set. Receiving Electrical power, potable water and telephone services from the pier. Ships present include various units of the U.S. pacific flyt, various units of allied navies, district and small craft. S.O.P.A. is Com Pac Flt.

CWO JL Hollis USN

04-08 moored as before. 0745 mustered the crew on stations. Absentees: None.

CWO JL Hollis, USN

APPROVED:

Lt. James A. Schachinger U.S.N. COMMANDING

EXAMINED:

Lt(jg) RS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Saturday 12 September 64
(Day) (Date) (Month)

08-12 Moored as before. 0830 made daily inspection of magazines. Conditions: Normal.

Ltjg JC Hall, USNR

12-16 Moored as before.

Ltjg JC Hall, USNR

16-20 Moored as before. 1500 Set material condition Yoke (modified).

Ltjg JC Hall, USNR

20-24 Moored as before.

Ltjg JC Hall, USNR

APPROVED:

Lt. James L. Williams U.S.N. COMMANDING

EXAMINED:

Ltjg RS Nasen U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Sunday (Day) / 13 (Date) September (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	1	10	Sct	2996	80	72	3	2000	Cu			
02	040	1	10	Sct	2994	80	71	3	2000	Cu			
03	040	1	10	Sct	2992	80	71	3	2000	Cu			
04	040	1	10	Sct	2990	78	70	3	2000	Cu			
05	040	1	10	Sct	2990	78	70	3	2000	Cu			
06	040	1	10	Sct	2992	80	74	3	2000	Cu			
07	040	1	10	Sct	2992	79	74	3	2000	Cu			
08	040	3	10	Sct	2996	83	73	3	2000	Cu			
09	040	3	10	Sct	2996	85	73	3	2000	Cu			
10	040	3	10	Sct	2995	86	74	3	2000	Cu			
11	040	3	10	Sct	2995	89	75	3	2000	Cu			
12	040	3	10	Sct	2995	89	76	3	2000	Cu			
13	040	3	10	Sct	2994	89	76	4	2000	Cu			
14	040	3	10	Sct	2994	89	76	3	2000	Cu			
15	040	1	10	Sct	2990	91	78	4	2000	Cu			
16	040	1	10	Sct	2991	92	78	3	2000	Cu			
17	040	1	10	Sct	2991	90	77	3	2000	Cu			
18	040	3	10	Sct	2991	89	77	3	2000	Cu			
19	040	3	10	Sct	2992	85	75	3	2000	Cu			
20	040	3	10	Sct	2992	84	75	3	2000	Cu			
21	040	3	10	Sct	2993	83	75	3	2000	Cu			
22	040	3	10	Sct	2992	82	74	3	2000	Cu			
23	040	3	10	Sct	2991	82	74	3	2000	Cu			
24	040	3	10	Sct	2991	82	74	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 2200

REMARKS

00-04 Moored port side to berth Sierra Seventeen (S-17) forward, U.S.S. Submarine Base, Pearl Harbor, Hawaii #4 with standard mooring lines doubled. U.S.S. Yuma (ATF-145) moored outboard to starboard. Material condition Yoke (modified) set receiving electrical power, potable water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, foreign, domestic and small craft. SOPA is Com C PAC Fleet.

Ltjg JA Hall USNR

04-08 Moored as before. 0745 Mustered the crew on stations. Absentees: None.

Ltjg JA Hall USNR

APPROVED: Lt Comdr R. Schectman U.S.N. COMMANDING

EXAMINED: Ltjg RS Nasen U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 13 (Date) SEPTEMBER (Month), 19 64

ØS-12 Moored as before. 111Ø Made daily inspection of the magazines. Conditions: Normal.

Ens C. P. McKenzie, USNR

12-16 Moored as before.

Ens C. P. McKenzie, USNR

16-2Ø Moored as before 1800 set condition yoke modified.

Ens C. P. McKenzie, USNR

2Ø-24 Moored as before.

Ens C. P. McKenzie, USNR

APPROVED: Lt [signature] U.S.N. COMMANDING

EXAMINED: Ltjg [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Monday (Day) 14 (Date) September (Month), 19 6X

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	Sct	2992	82	74	5	2000	Cu			
02	040	3	10	Sct	2992	82	74	5	2000	Cu			
03	040	3	10	Sct	2993	80	74	5	2000	Cu			
04	040	3	10	Sct	2994	79	73	5	2000	Cu			
05	040	3	10	Sct	2994	79	73	3	2000	Cu			
06	040	3	10	Sct	2994	79	73	3	2000	Cu			
07	040	3	10	Sct	2994	79	73	3	2000	Cu			
08	040	2	10	Sct	2994	82	74	3	2000	Cu			
09	040	3	10	Sct	2998	83	78	3	2000	Cu			
10	040	3	10	Sct	2996	85	78	3	2000	Cu			
11	040	3	10	Sct	2996	90	76	3	2000	Cu			
12	040	4	10	Sct	2996	90	96	3	2000	Cu			
13	040	4	10	Sct	2992	94	78	3	2000	Cu			
14	040	4	10	Sct	2990	94	78	3	2000	Cu			
15	040	4	10	Sct	2990	94	78	3	2000	Cu			
16	040	4	10	Sct	2990	94	78	3	2000	Cu			
17	040	4	10	Sct	2989	92	77	3	2000	Cu			
18	040	4	10	Sct	2992	89	77	3	2000	Cu			
19	040	3	10	Sct	2994	86	77	3	2000	Cu			
20	040	2	10	Sct	2994	87	76	3	2000	Cu			
21	040	2	10	Sct	2995	86	76	4	2000	Cu			
22	040	2	10	Sct	2999	86	76	4	2000	Cu			
23	040	3	10	Sct	2999	85	75	4	2000	Cu			
24	040	3	10	Sct	2999	85	75	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 2200

REMARKS

00-04 Moored port side to in berth Sierra Seventeen Foward (S-17-F) ~~south~~ U.S. Naval Submarine Base, Pearl Harbor Hawaii as with standard mooring lines doubled. USS Mactabi (ATF 105) moored alongside to starboard. Material condition yoke modified is set. Recieving electrical, steam, potable water, and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet district, and yard craft. SOPA is CinCPacFlt.

Ens C. P. McKenzie, USNR

04-08 Moored as before. 0645 Mustered the crew at quarters. Absentees: None.

Ens C. P. McKenzie, USNR

APPROVED: LT [illegible] U.S.N. COMMANDING

EXAMINED: Stgt R.S. Mason, U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 MONDAY (Day) 14 (Date) SEPTEMBER (Month), 19 64

0800-1200 MOORED AS BEFORE 0900 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL.

LTJG F.C. Horton USN

1200-1600 MOORED AS BEFORE.

LTJG F.C. Horton, USN

1600-2000 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

LTJG F.C. Horton USN

2000-2400 MOORED AS BEFORE.

LTJG F.C. Horton USN

APPROVED:

Lt. James R. Williamson U.S.N. COMMANDING

EXAMINED:

Ltjg R.S. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Charlie ATF-96 ZONE DESCRIPTION HOW DATE Tuesday (Day) 15 (Date) Sept (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	Sct	2999	84	75	4	2000	Cu			
02	040	3	10	Sct	2999	84	74	4	2000	Cu			
03	040	3	10	Sct	2999	84	74	4	2000	Cu			
04	040	3	10	Sct	2994	83	74	3	2000	Cu			
05	040	3	10	Sct	2995	83	74	3	2000	Cu			
06	040	3	10	Sct	2995	83	74	4	2000	Cu			
07	040	3	10	Sct	2998	83	74	4	2000	Cu			
08	040	3	10	Sct	2999	84	75	4	2000	Cu			
09	040	3	10	Sct	2999	84	75	4	2000	Cu			
10	040	2	10	Sct	2999	86	75	4	2000	Cu			
11	040	2	10	Sct	2999	89	76	4	2000	Cu			
12	040	4	10	Sct	2996	91	76	3	2000	Cu			
13	040	6	10	Sct	2994	94	77	3	2000	Cu			
14	040	6	10	Sct	2991	95	78	3	2000	Cu			
15	040	6	10	Sct	2990	95	78	3	2000	Cu			
16	040	6	10	Sct	2990	95	78	3	2000	Cu			
17	040	6	10	Sct	2992	93	77	3	2000	Cu			
18	040	6	10	Sct	2993	92	77	3	2000	Cu			
19	040	6	10	Sct	2994	91	77	3	2000	Cu			
20	040	4	10	Sct	2995	87	77	3	2000	Cu			
21	040	3	10	Sct	2997	87	77	3	2000	Cu			
22	040	2	10	Sct	2997	86	76	3	2000	Cu			
23	040	2	10	Sct	2997	86	76	3	2000	Cu			
24	040	3	10	Sct	2998	81	77	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 2400

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO IN BERTH SIERRA SEVENTEEN (FORWARD) U.S. SUBMARINE BASE, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET, RECEIVING FRESH WATER, ELECTRICAL POWER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINCPACFLT. USS MOCTOBI (ATF 105) MOORED ALONGSIDE TO STARBOARD

LTJG LE Horton USN

Ø4-Ø8 MOORED AS BEFORE. Ø645 MUSTERED CREW AT QUARTERS: ABSENTEES NONE.

LTJG LE Horton USN

APPROVED:

H. Jamel Williams U.S.N. COMMANDING

EXAMINED:

Skg DS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 15 (Date) SEPTEMBER (Month) 64

08-12 MOORED as before. 0830 The commanding officer held mast and imposed non-judicial punishment as follows: Wooden, E.L., 770-13-82 SA, U.S.N. OFFENSE: Disorderly Conduct. 8 august 1964. Punishment: Seven (7) days restriction to the limits of the ship, and reduction to the next inferior pay grade, suspended for six (6) months. ARGAO, R.S., 513-04-85 TN, USN, offense: U.A. approximately three (3½) and one half hours on 1 Sept 1964. Punishment: restricted to the limits of the ship for seven (7) days. GODBEY, S.G., 523-25-14 SM3, USN, offense: Disorderly Conduct ashore and violation of two (2) ships instructions on 29 august 1964. Punishment: Reduction to next inferior pay grade. BEST, G.C., 528-10-87, YN2 USN. offense: Disorderly Conduct ashore and ID Card violation. Punishment: Reduction to next inferior pay grade, suspended for six (6) months. 0900 made daily inspection of magazines. Conditions: normal.

CWO, JC Hollis, USN

12-16 moored as before.

CWO, JC Hollis, USN

~~20-24~~ 16-20 moored as before. 1800 Set material condition yoke (modified). 1815 mustered the duty fire party: absentees: none.

JCH

CWO, JC Hollis, USN

20-24 moored as before.

CWO, JC Hollis, USN

APPROVED: U.S.N. COMMANDING

EXAMINED: Lt(jg) RS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION 7-10-W DATE WEDNESDAY 16 SEPTEMBER, 19 64
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	10	SCT	2998	80	79	3	2000	Cu			
02	040	3	10	SCT	2998	80	79	3	2000	Cu			
03	040	3	10	SCT	2998	80	79	3	2000	Cu			
04	040	2	6	OVC	2994	80	79	9	1800	ST			
05	040	2	6	OVC	2993	81	78	9	1800	ST			
06	040	2	10	OVC	2994	83	78	9	1800	ST			
07	040	2	10	OVC	2995	83	78	8	1800	ST			
08	040	2	10	SCT	2996	84	77	4	1800	ST			
09	040	2	10	C	2995	84	76	7	1800	ST			
10	040	5	10	BKN	2997	83	76	8	1800	ST			
11	040	1	10	C	2998	87	75	8	1800	ST			
12	040	2	10	C	2998	88	78	10	1800	ST			
13	040	2	10	BKN	2995	89	78	8	1800	ST			
14	040	3	10	BKN	2992	92	79	8	1800	ST			
15	040	1	10	SCT	2991	90	80	5	2000	Cu			
16	040	1	10	SCT	2990	87	82	5	2000	Cu			
17	040	1	10	SCT	2990	87	82	5	2000	Cu			
18	040	1	10	SCT	2990	87	82	5	2000	Cu			
19	040	1	10	SCT	2990	87	82	5	2000	Cu			
20	040	3	10	BKN	2991	86	81	6	2000	Cu			
21	040	4	10	BKN	2991	84	80	6	2000	Cu			
22	040	3	10	BKN	2992	83	79	7	2000	Cu			
23	040	3	10	BKN	2992	82	78	7	2000	Cu			
24	040	3	10	BKN	2992	82	77	6	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 2400

REMARKS

09-04 moored port side to berth Sierra Quarter (S-12) Fwd., U.S. Naval Submarine Base, Pearl Harbor, Hawaii. with std. mooring lines doubled and secured. U.S.S. Noatak (ATF-105) moored outboard to starboard. Material condition yoke (modified) set. Receiving Electrical power, potable water and telephone service from the pier. Ships present include various units of the U.S. pacific Flet, units of the allied navies, district and small craft. S.O.P.A. is Com Cpac Flt.

CWO. J.L. Hollis, USN

04-08 moored as before. 0645 mustered the crew at Quarters. Absentees: none.

CWO J.L. Hollis, USN

APPROVED: LT James R. Whitemire U.S.N. COMMANDING

EXAMINED: Ltjg P.S. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Wednesday (Day) 16 (Date) Sept. (Month) 19 64

0-12 Moored as before. 0929 Made daily inspection of magazines. Conditions: Normal.

Ltjg J.E. Hall, USNR

12-16 Moored as before.

Ltjg J.E. Hall, USNR

16-20 Moored as before. 1800 Set material Condition Yoke (Modified).

Ltjg J.E. Hall, USNR

20-24 Moored as before.

Ltjg J.E. Hall, USNR

APPROVED:

Lt James R. Hutchison U.S.N. COMMANDING

EXAMINED:

Ltjg R.D. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Thursday (Day) 17 (Date) September (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	Sct	2992	81	75	4	2000	Cu			
02	040	2	10	Sct	2992	81	75	5	2000	Cu			
03	040	3	10	Sct	2993	80	76	5	2000	Cu			
04	040	3	10	Sct	2993	73	72	5	2000	Cu			
05	040	3	10	Sct	2993	73	72	5	2000	Cu			
06	045	2	10	Sct	2989	80	73	5	2000	Cu			
07	045	2	10	Sct	2989	81	74	5	2000	Cu			
08	045	2	10	Sct	2989	81	74	5	2000	Cu			
09	045	3	10	Sct	2989	84	74	5	2000	Cu			
10	045	2	10	Sct	2989	86	75	5	2000	Cu			
11	045	2	10	Sct	2989	89	75	5	2000	Cu			
12	055	3	10	Sct	2989	90	76	4	2000	Cu			
13	060	3	10	Sct	2987	93	78	4	2000	Cu			
14	060	2	10	BKN	2988	90	76	9	2000	Cu			
15	060	2	10	BKN	2988	90	76	9	2000	Cu			
16	040	2	10	BKN	2987	89	77	9	2000	Cu			
17	040	2	10	BKN	2986	88	77	9	2000	Cu			
18	040	2	10	BKN	2988	84	76	8	2000	Cu			
19	040	2	10	BKN	2988	85	74	6	2000	Cu			
20	070	2	10	Sct	2990	84	74	4	2000	Cu			
21	090	2	10	Sct	2990	83	74	4	2000	Cu			
22	090	2	10	Sct	2991	82	74	4	2000	Cu			
23	090	2	10	Sct	2990	82	74	4	2000	Cu			
24	090	2	10	Sct	2989	82	74	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 2400

REMARKS

00-04 Moored port side to berth Sierra Seventeen (S-17) forward, U.S. Submarine Base, Pearl Harbor, Hawaii, with standard mooring lines doubled. USS Mactobi (ATF-105) moored outboard to starboard. Materials and Condition Yoke (modified) set. Receiving electrical power, potable water and telephone services from the pier. Ships present include Ships of units of the U.S. Pacific Fleet, foreign, domestic and small craft. SOPA is COMCRUDESPAC FIVE.

Lt(jg) J.C. Hall, USNR

04-08 Moored as before. 0645 Mustered the crew at quarters. Absentees: None.

Lt(jg) J.C. Hall, USNR

APPROVED: Lt Comdr L. Schlecain U.S.N. COMMANDING

EXAMINED: Stg R.S. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Thursday (Day) 17 (Date) October (Month), 19 64

0800 Moored as before 0840 Made daily inspection of magazines. Conditions: Normal 1125 While performing monthly overhaul and test on a 12 gauge pump riot gun Morris K.R SN 5838484, USN accidentally fired the gun into the overhead of compartment A-403-A (ships armory), pellets rebounded and caused contusion to the left biceps, lacerations, two, left posterior forearm and apprehension. Treatment administered by the Medical representative CPM Deported to duty. In the same incident Kelly, T. L 721 93 93 GMG1, USN, was sitting at a desk in the armory and received the following: shotgun wounds, head, arm, chest & foreign body (shotgun pellet) contusion right biceps Treatment administered by the Medical representative Deported to duty. Not due to misconduct RL

Ens C P McKenzie, USNR

12-16 Moored as before

Ens C P McKenzie, USNR

16-20 Moored as before 1800 Set condition zebra modified

Ens C P McKenzie, USNR

20-24 Moored as before

Ens C P McKenzie, USNR

APPROVED: Lt James R. Williams U.S.N. COMMANDING

EXAMINED: Stgr RS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki ATF-96 ZONE DESCRIPTION +10W DATE Friday 18 September, 19 64
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	BKN	2988	82	74	7	2000	Cu			
02	040	2	10	SCT	2987	81	74	4	2000	Cu			
03	040	4	10	SCT	2987	81	73	3	2000	Cu			
04	040	3	10	SCT	2987	81	73	3	2000	Cu			
05	040	3	10	SCT	2987	81	72	4	2000	Cu			
06	040	2	10	SCT	2989	80	72	4	2000	Cu			
07	040	2	10	SCT	2989	82	74	5	2000	Cu			
08	040	2	10	SCT	2990	84	76	5	2000	Cu			
09	040	2	10	BKN	2990	84	76	9	2000	Cu			
10	040	3	10	BKN	2990	88	79	9	2000	Cu			
11	040	4	10	BKN	2990	90	80	9	2000	Cu			
12	040	3	10	BKN	2991	91	77	8	2000	Cu			
13	040	3	10	BKN	2991	92	78	8	2000	Cu			
14	040	3	10	BKN	2990	92	78	8	2000	Cu			
15	040	3	10	BKN	2987	93	80	8	2000	Cu			
16	040	5	10	BKN	2986	93	79	8	2000	Cu			
17	040	5	10	BKN	2987	92	78	7	2000	Cu			
18	040	5	10	BKN	2987	90	78	7	2000	Cu			
19	040	3	10	SCT	2988	88	72	3	2000	Cu			
20	040	3	10	SCT	2988	85	72	4	2000	Cu			
21	040	3	10	SCT	2988	83	72	4	2000	Cu			
22	040	3	10	SCT	2988	81	72	4	2000	Cu			
23	040	3	10	SCT	2988	83	72	4	2000	Cu			
24	040	2	10	SCT	2988	83	72	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L 1N point		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 2400

REMARKS

00-04 Moored port side to in berth Sierra 17 forward of USS Monadnock Row, Pearl Harbor Hawaii with standard mooring lines doubled USS Mocatabi (ATF 105) Moored alongside to starboard. Material Condition Yoke, modified is set. Receiving steam, electrical, potable water and telephone services from the pier. Ships present include various units of the US Pacific Fleet destroyer and tender craft. SOPA is CinCPacFlt.

Eng. C. P. McKenzie, USNR

04-08 Moored as before 0645 ~~Moored~~ Mustered the crew at quarters absentees: None.

Eng C. P. McKenzie, USNR

APPROVED: James R. Gleichman U.S.N. COMMANDING

EXAMINED: Stgt PD Nasen U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 FRIDAY (Day) 18 (Date) SEPTEMBER (Month) 1964

0800-1200 Moored as before 0850 ~~Received~~ Made daily SEN inspection of Magazines. Conditions Normal. Conducted Weekly test of Magazine Sprinkle system: Test Satisfactory. 1050 Commenced Commanding Officer Material inspection 1153 Secured from Commanding officers Material inspection.

LTJG LE Horton USN

1200-1600 Moored as before.

LTJG LE Horton USN

1600-2000 Moored as before. 1800 Set Modified Material Condition Yoke.

LTJG LE Horton USN

2000-2400 Moored As Before.

LTJG LE Horton USN

APPROVED: LT James L Alexander U.S.N. COMMANDING

EXAMINED: Stgj RS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Chaka ATF-96 ZONE DESCRIPTION +10 DATE Saturday (Day) 19 (Date) Sept (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	Clr	2991	84	75	5	2000	Cu			
02	040	2	10	BKN	2990	82	75	7	2000	Cu			
03	040	2	10	Clr	2990	81	75	3	2000	Cu			
04	040	2	10	Clr	2991	81	74	3	2000	Cu			
05	040	2	10	Clr	2991	81	74	4	2000	Cu			
06	040	4	10	Clr	2990	81	74	4	2000	Cu			
07	060	4	10	Clr	2991	82	74	5	2000	Cu			
08	055	5	10	BKN	2992	84	77	6	2000	Cu			
09	065	4	10	BKN	2994	85	78	6	2000	Cu			
10	070	4	10	BKN	2995	88	78	6	2000	Cu			
11	070	5	10	Clr	2995	90	79	5	2000	Cu			
12	070	5	10	Clr	2992	92	80	5	2000	Cu			
13	070	5	10	BKN	2990	92	80	6	2000	Cu			
14	060	2	10	BKN	2988	93	80	9	2000	Cu			
15	060	1	10	BKN	2988	93	80	9	2000	Cu			
16	—	—	10	BKN	2988	93	80	9	2000	Cu			
17	040	1	10	BKN	2988	93	80	9	2000	Cu			
18	040	1	10	BKN	2988	93	80	9	2000	Cu			
19	040	1	10	BKN	2988	93	80	9	2000	Cu			
20	040	1	10	BKN	2990	90	79	8	2000	Cu			
21	040	2	10	BKN	2992	88	77	7	2000	Cu			
22	040	3	10	BKN	2992	85	75	7	2000	Cu			
23	040	3	10	BKN	2992	85	75	7	2000	Cu			
24	040	3	10	BKN	2991	84	75	7	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 7400

REMARKS

0000-0400 Moored port side to in berth Sierra Seventeen, Fleet US Submarine Base, Pearl Harbor, Hawaii. With standard mooring lines doubled. Modified material condition yoke set. Receiving fresh water, electrical power and telephone service from the pier. Ships present include various units of U.S. Pacific Fleet, yard and district craft. SOPA is COMSUBPACFLT. USS Chaka (ATF-105) Moored alongside to starboard.

LTJG F E Stanton USN

0400-0800 Moored as before. 0745 Mustered crew at Quarters: Absentees: none.

LTJG F E Stanton USN

APPROVED: LT James R. Johnson U.S.N. COMMANDING

EXAMINED: Stgs D S Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 19 (Date) SEPTEMBER (Month) 10 64

08-12 moored as before. 0955 made daily inspection of magazines. Conditions: Normal.

CWO, Jcl Hollis, USN

12-16 moored as before.

CWO, Jcl Hollis, USN

16-20 moored as before. 1800 set material condition yoke (modified).

CWO, Jcl. Hollis, USN

20-24 moored as before.

CWO Jcl Hollis, USN

APPROVED:

Lt. James L. Robertson U.S.N. COMMANDING

EXAMINED:

Lt(jg) R S Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION I-10-W DATE SUNDAY (Day) 20 (Date) SEPTEMBER (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	Sct	2990	83	72	5	2000	Cu			
02	040	2	10	Sct	2990	83	72	5	2000	Cu			
03	040	2	10	Sct	2990	83	72	5	2000	Cu			
04	040	2	10	Sct	2990	79	75	5	2000	Cu			
05	040	2	10	Sct	2991	79	75	5	2000	Cu			
06	040	2	10	Sct	2991	81	76	5	2000	Cu			
07	040	2	10	Sct	2991	81	76	5	2000	Cu			
08	040	2	10	Sct	2996	84	74	2	2000	Cu			
09	040	2	10	Sct	2998	84	75	2	2000	Cu			
10	040	2	10	Sct	2998	84	74	2	2000	Cu			
11	040	2	10	Sct	2996	83	74	2	2000	Cu			
12	040	2	10	Sct	2994	84	74	5	2000	Cu			
13	040	2	10	Sct	2992	86	75	4	2000	Cu			
14	040	2	10	Sct	2990	88	75	4	2000	Cu			
15	040	2	10	Sct	2990	87	76	3	2000	Cu			
16	040	2	10	Sct	2988	94	80	3	2000	Cu			
17	040	2	10	Sct	2989	93	79	3	2000	Cu			
18	040	2	10	Sct	2989	93	79	3	2000	Cu			
19	040	2	10	Sct	2992	87	74	3	2000	Cu			
20	040	2	10	Sct	2992	87	74	3	2000	Cu			
21	040	1	10	Sct	2992	87	74	4	2000	Cu			
22	040	1	10	Sct	2992	87	74	3	2000	Cu			
23	040	1	10	Sct	2992	86	75	4	2000	Cu			
24	040	3	10	Sct	2991	85	75	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 3400

REMARKS

00-04 moored portside to berth Sierra Seventeen (S-17) U.S. Submarine Base Pearl Harbor, Hawaii with std mooring lines doubled. U.S.S. MOCTOBI (ATF-105) moored outboard to stbd. material condition yoke (modified) set. Receiving, Electrical power, potable water and telephone services from the pier. Ships present include various units of the U.S. pacific Fleet, units of allied navies, district and small craft. S.O.P.A. is Com Cpac Flt.

CWO Jd Hollis, USN

04-08 moored as before. 0745 mustered the crew on stations. absentees: none.

CWO JD Hollis, USN

APPROVED:

[signature] U.S.N. COMMANDING

EXAMINED:

[signature] U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Sunday (Day) / 20 (Date) September (Month) 10 64

08-12 Moored as before.

Ltjg J.C. Hall, USNR

12-16 Moored as before.

Ltjg J.C. Hall, USNR

16-20 Moored as before. 1800 set material condition Yoke (modified).

Ltjg J.C. Hall, USNR

20-24 Moored as before.

Ltjg J.C. Hall, USNR

APPROVED:

~~U.S.N.~~ COMMANDING

EXAMINED:

Ltjg R.S. Rasen U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Monday (Day) 21 (Date) September (Month) 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	ST	2991	81	74	3	2000	Cu			
02	070	2	10	ST	2991	81	74	3	2000	Cu			
03	070	2	10	ST	2989	80	74	3	2000	Cu			
04	070	2	10	ST	2987	82	73	3	2000	Cu			
05	070	2	10	BKN	2987	82	73	6	2000	Cu			
06	070	3	10	BKN	2987	82	73	7	2000	Cu			
07	070	2	10	BKN	2987	82	74	6	2000	Cu			
08	070	2	10	BKN	2988	82	74	6	2000	Cu			
09	040	2	10	BKN	2988	82	74	6	2000	Cu			
10	040	2	10	BKN	2988	82	74	6	2000	Cu			
11	040	2	10	BKN	2989	82	74	7	2000	Cu			
12	040	2	10	BKN	2990	87	78	8	2000	Cu			
13	040	3	10	BKN	2990	88	78	8	2000	Cu			
14	040	3	10	BKN	2991	88	79	9	2000	Cu			
15	040	3	10	ST	2987	91	86	5	2000	Cu			
16	040	3	10	ST	2985	91	86	5	2000	Cu			
17	040	3	10	BKN	2985	90	84	6	2000	Cu			
18	040	2	10	OVC	2986	89	83	9	1800	ST			
19	040	1	10	OVC	2987	88	80	9	1800	ST			
20	040	1	10	OVC	2989	86	78	9	1800	ST			
21	040	1	7	K	2991	83	76	9	1800	ST			
22	040	1	7	K	2992	80	75	9	1800	ST			
23	040	2	10	BKN	2992	80	75	8	1800	ST			
24	040	3	10	BKN	2992	80	75	8	1800	ST			

POSITION	ZONE	TIME
0800		
L IN port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 2500

REMARKS

00-04 Moored port side to berth Sierra Seventeen (S-17), forward, U.S. Submarine Base, Pearl Harbor, Hawaii, with standard mooring lines doubled. USS Molala (ATF-105) moored outboard to starboard. Material condition Yoke (modified) set. Receiving electrical power, potable water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, foreign, domestic and small craft. Port is CinCPACFLT.

Ltjg J.O. Hall, USNR

04-08 Moored as before. 0745 Mustered the crew at quarters. Absentees: None

Ltjg J.O. Hall, USNR

APPROVED:

Lt. Comdr. R. Anderson U.S.N. COMMANDING

EXAMINED:

Ltjg D.S. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 21 (Date) SEPTEMBER (Month) 19 64

0800-1200 Moored as before. 0800 Commenced making preparations for getting underway. 0910 Stationed special sea and anchor detail 0913 Completed all preparations for getting underway. Draft: forward 14'2", aft 16'3" Captain and navigator are on the bridge. Navigator in conn. 0952 USS Moctobi (ATF-105) pulled out from alongside to starboard 0956 Underway from berth Sierra Seventeen Forward to berth Alfa Six in accordance with verbal orders from Portco. Commenced maneuvering on various courses at various speeds while clearing berth transiting the harbor and mooring in berth Alfa Six 1031 Bow 13 ahead to starboard. 1040 Moored starboard side to in berth Alfa Six (A-6) US Naval Base Pearl Harbor, Hawaii with 1175 Made daily inspection of the magazines Conditions: Normal.

Ens C. P. McKenzie, USNR

1200-1600 Moored as before.

Ens C. P. McKenzie, USNR

1600-2000 Moored as before. 1800 Set condition zebra modified.

Ens C. P. McKenzie, USNR

2000-2400 Moored as before

Ens C. P. McKenzie, USNR

APPROVED: Lt. James R. Robertson U.S.N. COMMANDING

EXAMINED: Lt(jg) R S Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE TUESDAY 22 SEPT. 19 64
(Day) (Date) (Month)

AT/PASSAGE FROM LOCAL OPS PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	4	10	BKN	2992	80	75	8	18000	ST			
02	040	5	10	BKN	2992	80	75	8	18000	ST			
03	040	5	10	BKN	2992	80	75	8	18000	ST			
04	040	5	10	BKN	2992	82	75	8	18000	ST			
05	040	5	10	BKN	2992	82	75	8	18000	ST			
06	045	5	10	BKN	2992	82	75	8	20000	Cu	80	130	5
07	050	5	10	BKN	2992	82	75	8	20000	Cu	80	130	5
08	050	5	10	BKN	2992	82	75	8	20000	Cu	80	130	5
09	055	3	10	BKN	2991	84	76	8	20000	Cu	80	130	5
10	060	3	10	BKN	2991	85	76	8	20000	Cu	80	130	5
11	060	3	10	BKN	2991	85	76	8	20000	Cu	80	130	5
12	065	4	10	BKN	2991	85	76	8	20000	Cu	80	130	5
13	065	4	10	BKN	2991	85	76	8	20000	Cu	80	130	5
14	065	5	10	BKN	2991	85	76	8	20000	Cu	80	130	5
15	065	5	10	BKN	2991	85	76	8	20000	Cu	80	130	5
16	065	5	10	SCT	2991	85	76	5	20000	Cu	80	130	5
17	055	4	10	SCT	2991	84	75	5	20000	Cu	80	130	5
18	055	4	10	BKN	2991	84	75	6	20000	Cu	80	130	5
19	055	4	10	BKN	2991	84	75	6	20000	Cu	80	130	5
20	040	1	10	BKN	2989	83	74	6	20000	Cu			
21	040	1	10	BKN	2989	83	73	6	20000	Cu			
22	040	1	10	BKN	2988	83	73	6	20000	Cu			
23	040	1	10	BKN	2988	82	73	6	20000	Cu			
24	040	1	10	BKN	2988	82	73	6	20000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 154.2

FUEL CONSUMED 0000-2400: 2152

REMARKS

0004 Moored starboard side to in berth Alfa-Six (A-6), U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition yoke is set, receiving telephone and potable water services from the pier. Ships present include various units of the U.S. Pacific Fleet District and yard craft. Sopa is Condition Fox. 0330 Commenced making preparations for getting underway.

Ens C.B. McKezie, USNR

0400 - 0408 Moored as before. 0440 Mustered the crew on stations, absentees: None. 0440 Set the special sea and anchor detail. 0416 Completed all preparations for getting underway. Draft: forward 14'4", aft 16'6". 0425 Ordered with series 40 rpd for local op area in accordance with ComFltTra Pha Gru weekly Op-order 39-64. Maneuvering to clear the berth. OOD for the Capt. Commenced steering various courses at various speeds while standing out of

APPROVED:

LT. [signature] U.S.N. COMMANDING

EXAMINED:

Lt(jg) R.S. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 TUESDAY (Day) 22 (Date) SEPTEMBER (Month) 19 64

Ø4-Ø8 (CONT) THE HARBOR. 0432 Veered to 200 ft to 300 feet CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD Mrs. McGinn. Ø438 BOUY #9 ABEAM TO STARBOARD Ø44Ø BOUY #7 ABEAM TO STARBOARD Ø442 BOUY #5 ABEAM TO STARBOARD Ø455 BOUY #1 ABEAM TO STARBOARD Ø5ØØ Veered to 600 to 900 feet Ø5Ø2 SECURED SPECIAL SEA AND ANCHOR DETAIL. Ø5Ø3 Ps TO 9.5 KTS. Ø5Ø5 Pc TO 135° Ø51Ø Pc TO 120°

Ens C. P. McKenzie, USNR

Ø4-Ø8 (CONT) UNDERWAY AS BEFORE Ø543 Pc TO 1ØØ° 0553 Pc TO 120° Ps TO 12.3 KNTS. ENTERED INTERNATIONAL WATERS. Ø558 Pc TO 178° Ø614 Ps TO 13.3 KTS. Ø745 Ps TO 9.5 KTS Ø746 Ps TO 6.7 KTS. STREAMED TARGET TO 34ØØ FT. Ø749 Ps TO 12.3 KTS Pc TO 125°

Lt(jg) J. C. Hall, USNR

Ø8-12 UNDERWAY AS BEFORE Ø8Ø1 Pc TO 115° Ø8Ø2 Ps 12.3 KTS COMMENCED EXERCISE Z-23-G WITH USS WALKER (DD 517) BASE COURSE 125° BASE SPEED 5 KTS. MANEUVERING TO COMPLY WITH EXERCISE REQUIREMENTS. Ø854 COMPLETED Z-23-G RETURNED TO BASE COURSE AND SPEED Ø911 COMMENCED EXERCISE Z-21-G WITH USS WALKER Ø93Ø COMPLETED EXERCISE Z-21-G Ps 9.5 KTS Pc 290° Ø945 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS; NORMAL 1021 Ps 12.3 KTS.

CWO Jack Hallis, USN

12-16 UNDERWAY AS BEFORE 12Ø5 Pc TO 265° 1216 Ps TO 13.3 KTS. 1343 SET MATERIAL CONDITION YOKE. 1356 Ps TO 1Ø.8 KTS Pc TO 25Ø° 14Ø6 Ps TO 14.3 KTS 1423 Pc TO 2ØØ° 145Ø USS GOLDSBOROUGH (DDG-20) COMMENCED GUNNERY EXERCISE Z-3Ø-G 1452 USS GOLDSBOROUGH COMPLETED Z-3Ø-G 1514 Ps TO 12.3 KTS 1518 Pc TO Ø45° 1528 Ps TO 9.5 KTS. COMMENCED HEAVING TARGET IN TO 9ØØ FT. 154Ø TARGET AT 9ØØ FT.

LTJG J. E. Horton USN

16-18 UNDERWAY AS BEFORE 1748 Pc TO Ø3Ø° ~~1748 Pc TO Ø3Ø°~~ JEH

Ens C. P. McKenzie, USNR

18-2Ø UNDERWAY AS BEFORE. 1923 ENTERED INLAND WATERS Pc TO 333° 1926 SET SPECIAL SEA AND ANCHOR DETAIL 1927 Ps TO 9.5 KTS. CAPTAIN AND NAVIGATOR ON THE BRIDGE. MANEUVERING TO CONFORM WITH PEARL HARBOR CHANNEL 1938 HEAVED SLED, ISO-357 INTO 1ØØ FT. 1944 HEAVED SLED INTO STERN 1945 MOORED STARBOARD SIDE TO BERTH ALFA SIX, U.S. NAVAL STATION, PEARL HARBOR HAWAII 2ØØØ SECURED SPECIAL SEA DETAIL JEH

Lt(jg) J. C. Hall, USNR

2Ø-24 MOORED AS BEFORE

LTJG J. E. Horton USN

APPROVED: Lt. James L. Schuckman U.S.N. COMMANDING

EXAMINED: Lt(jg) D. S. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE WEDNESDAY (Day) 23 (Date) SEPTEMBER (Month), 19 64

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	1	10	SCT	2988	82	73	5	2000	cu			
02	040	1	10	SCT	2988	82	73	5	2000	cu			
03	040	1	10	BKN	2988	81	72	6	2000	cu			
04	040	3	10	SCT	2984	77	73	5	2000	cu			
05	040	3	10	SCT	2982	76	73	5	2000	cu			
06	040	3	10	SCT	2982	76	74	5	2000	Cu			
07	040	3	10	SCT	2983	78	74	5	2000	cu			
08	040	3	10	SCT	2985	78	74	8	2000	cu			
09	040	3	10	BKN	2985	82	76	8	2000	cu			
10	040	4	10	BKN	2985	83	76	8	2000	cu			
11	040	4	10	BKN	2985	84	77	5	2000	cu			
12	040	5	10	BKN	2983	83	76	8	2000	cu			
13	040	6	10	BKN	2880	80	75	8	2000	cu			
14	130	6	10	BKN	2979	80	75	8	2000	cu			
15	130	6	10	BKN	2979	80	74	8	2000	cu			
16	130	6	10	BKN	2979	80	74	9	2000	Cu			
17	130	6	10	BKN	2979	80	75	9	2000	cu			
18	130	6	10	BKN	2979	80	74	8	2000	Cu			
19	130	6	10	BKN	2980	79	73	6	2000	Cu			
20	130	6	10	BKN	2980	79	73	6	2000	Cu			
21	130	6	10	BKN	2979	78	72	6	2000	cu			
22	120	3	10	BKN	2979	78	72	6	2000	cu			
23	120	3	10	BKN	2980	78	72	6	2000	Cu			
24	120	3	10	BKN	2981	77	73	6	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 2100

REMARKS

00-04 MOORED STARBOARD SIDE TO IN BERTH ALEA SIX, US NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINCPAC FLT. 5-40 TARGET SLED FT 557 TIED UP ASTERN. BEN

LTJG LE Horton USN

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS: ABSENTEES; NONE

LTJG LE Horton USN

APPROVED: Lt. James R. Wickliffe U.S.N. COMMANDING

EXAMINED: Ltjg. RS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 23 (Date) SEPTEMBER (Month) 1964

08-12 moored as before. 1115 made daily inspection of magazines. ~~and~~ Condition: Normal JdH

CWO, J d Hallis, USN

12-16 moored as before.

CWO, Jd. Hallis, USN

16-20 moored as before. 1800 set material condition yoke (modified).

CWO. Jd. Hallis. USN

20-24 moored as before.

CWO Jd. Hallis, USN

APPROVED: Lt. James R. McKeown U.S.N. COMMANDING

EXAMINED: Stgg RD Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE THRUSDAY (Day) 24 (Date) SEPT. (Month), 19 64

AT/PASSAGE FROM LOCAL OP-AREA TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	120	3	10	BKN	2984	77	74	6	2000	CU			
02	120	3	10	BKN	2984	77	74	6	2000	CU			
03	120	3	10	BKN	2984	77	74	6	2000	CU			
04	120	3	10	BKN	2982	77	74	6	2000	CU			
05	120	3	10	BKN	2983	77	74	6	2000	CU			
06	120	3	10	BKN	2984	78	74	6	2000	CU	80	050	2
07	050	4	10	BKN	2985	79	75	6	2000	CU	80	050	2
08	050	6	10	SCT	2986	80	75	5	2000	CU	80	050	2
09	050	6	10	SCT	2987	82	75	5	2000	CU	80	050	2
10	050	6	10	BKN	2985	84	75	6	2000	CU	80	070	2
11	055	6	10	BKN	2984	86	75	6	2000	CU	80	070	2
12	055	6	10	BKN	2983	86	75	6	2000	CU	80	070	2
13	055	6	10	BKN	2981	83	75	6	2000	CU	80	070	2
14	055	7	10	BKN	2980	81	75	6	2000	CU	80	070	2
15	061	7	10	BKN	2978	81	75	6	2000	CU	81	070	2
16	132	4	10	SCT	2978	88	78	5	2000	CU	81	070	2
17	132	4	10	SCT	2978	84	76	5	2000	CU	81	070	2
18	121	4	10	SCT	2979	82	75	5	2000	CU	81	070	2
19	121	4	10	SCT	2980	80	75	5	2000	CU	81	070	2
20	110	6	10	SCT	2980	80	75	4	2000	CU	81	070	2
21	110	6	10	SCT	2981	80	75	4	2000	CU	81	070	2
22	100	6	10	SCT	2981	81	74	4	2000	CU	81	070	2
23	100	6	10	SCT	2982	81	74	4	2000	CU	81	070	2
24	100	6	10	BKN	2982	81	74	6	2000	CU	80	070	2

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 98

FUEL CONSUMED 0000-2400: 2540

REMARKS

00-04 moored starboard side to berth Alfa six (A-6) U.S. naval Station, Pearl Harbor, Hawaii, with std. mooring lines doubled. Series 40 target sled #55 ↑ imported along side to port. Material condition yoke (modified) set. Receiving potable water & telephone service from the pier. Ships present include various units of the U.S. Pacific Flt, District and Small Craft, and units of allied navies. S.O.P.R. is CinCPac Flt.

CWO, Jdl. Hollis, USN

04-08 moored as before. 0445 commenced preparations for getting underways. 0500 mustered the crew on stations. Absentees: none. 0510 Set the special sea and anchor detail. 0514 Captain + Navigator on the Bridge. 0518 all stations manned and ready, singled up all lines. 0526 Underway with Sewer 40 Sked. in accordance with ComFltRagRu Op-Ord-39-64 ↑ 000 pas the Com & Maneuvering

APPROVED: Lt. James R. Williamson U.S.N. COMMANDING

EXAMINED: Lt(jg) R S Moser U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 26 (Date) SEPTEMBER (Month) TO 64

04-08 (Cont) On various courses & speeds while clearing Berth and streaming target sled. 0536 streaming target in midstream. 0537 Steady on course 162°, Spud 6.7 Kts. 0539 C/C 9.5 KTS. 0542 Base course 153°, Spud 9.5 Kts. Passed Buoy (5) abeam to stbd. 100 yds. 0546 passed Buoy (3) abeam to stbd. 90 yds. 0550 passed Buoy (1) abeam to starboard. 100 yds. 0557 C/C 170°; Secured the special sea and anchor detail target streamed to 900 feet. 0558 C/C 12.3 Kts.

C.W.O. J. R. Hollis. USN

04-08 (Cont) Underway as before. 0603 C/C to 001 0634 C/C to 215. 0647 C/C to 210.

Ens C.P. McKenzie, USNR

08-12 Underway as before; 0832 C/S 9.5 Kts. C/C 270°. 0837 C/S 6.7 KTS. 0840 streamed sled to 3,500 ft. on the Brake. 0900 C/C 230°. 0919 Commenced Exercise 2-24-G with USS RENSHAW (DD-499) Steering Various courses & speeds to conform to exercise requirements. 0919 made daily inspection of magazines. Conditions: Normal. 1055 Reverse course 090°; spud 6.7 Kts.

Ltjg J.C. Hall. USNR

12-16 Underway as before. 1206 Reversed course 270°; 1215 C/C 180°; 1232 C/S 9.5 KTS. 1250 C/S 12.3 KTS. C/C 090°190° Secured from 2-24-G and Commenced 2-23-G with USS TAYLOR (DD-468) Steering Various Courses & speeds. 1346 secured from 2-23-G & commenced 2-21-G with TAYLOR. 1402 secured from exercise 2-21-G. 1407 C/S 6.7 KTS 1426 C/C 090°. Released by OCE - USS TAYLOR. sled leaved in to 900 feet and on the Brake.

CWO J.R. Hollis, USN

16-18 Underway As Before.

LTJG J.E. Horton USN

18-20 Underway as before.

Ens C.P. McKenzie USNR

20-24 Underway as before.

Ltjg J.C. Hall, USNR

APPROVED:

Lt. James R. Robinson U.S.N. COMMANDING

EXAMINED:

Ltjg D.S. Rasor U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE FRIDAY (Day) 25 (Date) SEPTEMBER (Month), 19 64

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	Sct	2984	78	72	3	2000	Cu			
02	040	2	10	Sct	2985	79	71	3	2000	Cu			
03	040	2	10	Sct	2986	79	71	3	2000	Cu			
04	040	2	10	Sct	2986	79	72	3	2000	Cu			
05	040	2	10	Sct	2986	79	72	3	2000	Cu			
06	045	2	10	Sct	2986	80	73	3	2000	Cu			
07	045	4	10	Sct	2985	80	73	3	2000	Cu			
08	045	4	10	Sct	2986	80	74	3	2000	Cu			
09	045	2	10	Sct	2987	81	74	2	2000	Cu			
10	045	2	10	Sct	2988	82	74	2	2000	Cu			
11	045	2	10	Sct	2988	83	75	2	2000	Cu			
12	045	2	10	Sct	2988	84	76	2	2000	Cu			
13	045	2	10	Sct	2987	85	76	2	2000	Cu			
14	045	2	10	Sct	2987	86	74	2	2000	Cu			
15	045	2	10	Sct	2986	87	75	2	2000	Cu			
16	050	2	10	Sct	2986	86	75	2	2000	Cu			
17	050	2	10	Sct	2986	85	75	3	2000	Cu			
18	050	2	10	Sct	2985	85	74	3	2000	Cu			
19	040	2	10	Sct	2985	84	73	3	2000	Cu			
20	040	2	10	Sct	2984	83	73	3	2000	Cu			
21	040	2	10	Sct	2984	82	72	3	2000	Cu			
22	040	2	10	Sct	2984	81	71	3	2000	Cu			
23	040	2	10	Sct	2984	81	71	3	2000	Cu			
24	040	2	10	Sct	2984	81	71	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 72.0

FUEL CONSUMED 0000-2400: 2125

REMARKS

00-04 Steaming independantly in op-areas G-1 & G2 with Series 40 sled #557 in tow at 900 feet in accordance with ComFltraFORGru op-order 39-64. Base course 090 speed 3.3 KTS. Material condition yoke (modified) set. Readiness condition IV Damage control & Engineering condition #4 set. 0100 C/C 310°.

Cwo Jd Hollis. USN

04-08 Underway As Before. 0630 C/C To 060° C/S To 6.7 KTS. 0651 C/C To 065° 0659 C/S To 9.5 ~~KTS.~~ KTS. 0730 Commenced Streaming Sled To 3400 Ft. 0740 Sled Streamed To 3400 Ft. 0745 Mustered Crew On Stations: Absentees: None. 0758 C/C To 315°

Ltjg Le Horton USN

APPROVED: Lt. James R. Robertson U.S.N. COMMANDING

EXAMINED: Ltjg RS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Friday (Day) 25 (Date) September (Month) 19 64

0800-1200 Underway as before. 0830 c/c to 135° 0916 Commenced providing services for the USS Taylor (DD 468) while conducting a Z-21-G. 0918 c/s to 12.3 kts. 1013 Completed a Z-21-G with Taylor. 1040 Made daily inspection of the magazines. Condition normal. Made weekly test of the magazine sprinkling system. Test satisfactory. 1120 Commenced providing services for the USS Jenkins (DD 447) while conducting a Z-24-G. 1144 Completed providing services for Jenkins.

Ens C.P. McKenzie, USNR

1200-1600 Underway as before. 1209 Commenced providing services for USS Jenkins (DD-447) while conducting Z-23-G. 1211 c/s to 9.5 kts. 1216 c/s to 6.7 kt. Completed Z-23-G with USS Jenkins (DD-447). 1217 c/c to 325°. 1225 c/s to 9.5 kt. 1230 c/s to 12.3 kt. 1317 c/s to 9.6 kt. 1319 c/s to 6.7 kt. 1405 Commenced providing services for USS Falgout (DE-324) while conducting Z-27-G. 1505 Completed Z-27-G with USS Falgout (DE-324). 1507 c/c to 330°. 1517 c/s to 9.5 kt. 1518 c/s to 12.3 kt. 1522 c/s to 13.3 kt. 1523 c/c to 335°. Heaved astern 40 sled into 900 ft.

Ltjg J.A. Hall, USNR

1600-1800 Underway as before. 1646 c/c 000°, 1713 material condition yoke (modified) confirmed. Tested running lights. Test satisfactory.

CWO J.O. Hollis, USN

1800-2000 Underway As Before. 1807 C/C TO 313° 1838 C/C TO 234° SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE OOD HAS THE CONN. 1854 PASSED BUOY #2 ABEAM TO PORT STBD. 75 YDS. COMMENCED MANEUVERING VARIOUS COURSES TO CONFORM WITH PEARL HARBOR CHANNEL. 1904 PASSED BUOY #6 ABEAM TO STBD. COMMENCED MANEUVERING TO MOOR IN BERTH ALFA SIX. 1919 MOORED STARBOARD SIDE TO IN BERTH ALFA SIX. US NAVAL STATION, PEARL HARBOR, HAWAII. SECURED SPECIAL SEA AND ANCHOR DETAIL.

LTJG L.E. Horton USN.

2000-2400 (continued) Moored as before.

Ens C.P. McKenzie, USNR

0000-0400 Moored as before

Ens C.P. McKenzie, USNR

APPROVED: Lt. James L. Wiseman U.S.N. COMMANDING

EXAMINED: Ltjg D.S. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE SATURDAY 26, 19 64
(Day) (Date) (Month)

AT/PASSAGE FROM LOCAL-OP AREA PEARL TO HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	Sct	2988	78	72	5	7000	Cu			
02	040	3	10	Sct	2986	78	72	5	7000	Cu			
03	040	3	10	Sct	2986	78	72	5	7000	Cu			
04	040	3	10	Sct	2986	79	72	5	7000	Cu			
05	050	3	10	Sct	2986	80	72	5	7000	Cu			
06	040	3	10	Sct	2986	81	72	5	7000	Cu			
07	040	3	10	Sct	2986	82	72	4	7000	Cu			
08	040	3	10	Sct	2987	83	73	4	7000	Cu			
09	050	3	10	Sct	2987	84	74	4	7000	Cu			
10	055	5	10	Sct	2987	85	75	4	7000	Cu			
11	055	5	10	Sct	2988	86	75	5	7000	Cu			
12	060	6	10	Sct	2989	87	76	5	7000	Cu			
13	060	7	10	Sct	2989	88	76	5	7000	Cu			
14	060	8	10	Sct	2989	89	77	5	7000	Cu			
15	060	3	10	Sct	2989	86	77	5	7000	Cu			
16	060	3	10	Sct	2989	84	77	4	7000	Cu			
17	065	5	10	Sct	2987	83	77	4	7000	Cu			
18	065	5	10	Sct	2988	82	77	4	7000	Cu			
19	060	3	10	Sct	2990	81	77	4	7000	Cu			
20	055	3	10	Sct	2990	80	77	4	7000	Cu			
21	050	3	10	Sct	2990	79	77	4	7000	Cu			
22	050	3	10	Sct	2990	79	77	4	7000	Cu			
23	050	3	10	Sct	2991	79	77	4	7000	Cu			
24	050	3	10	Sct	2992	79	77	4	7000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 7100

REMARKS

00-04 Moored starboard side to in berth Alfa Lip (A-6) US Naval Base Pearl Harbor, Hawaii with standard mooring lines doubled Series 40 Target sled no. 557 snubbed up astern. Material condition yoke modified is set. Receiving potable water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet destroyer and yard craft. SOPA is Comfact 14.

Ens C.P. McKenzie, USNR

04-08 Moored as before 0745 Muster all hands crew on station. Absentees. None.

Ens C.P. McKenzie, USNR.

APPROVED:

LT. James R. Williamson U.S.N. COMMANDING

EXAMINED:

Stgs DS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Saturday (Day) 26 (Date) September (Month) 19 64

0800-1200 Moored As Before. 0810 Made Daily Inspection of Magazines: Conditions. Normal. 0820 Wetzler, Kenneth J. 391-18-19 SN USN Confined in US Naval Station Brig For Safe Keeping.

LTJG F E Horton USN

1200-1600 Moored As Before

LTJG F E Horton USN

1600-2000 Moored As Before. 1800 Set Modified Material Condition Yoke

LTJG F E Horton USN

2000-2400 Moored As Before.

LTJG F E Horton USN

APPROVED: Lt. James R. Robertson U.S.N. COMMANDING

EXAMINED: Stjg R S Nason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Sunday 22 September (Day) (Date) (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	BKN	2993	79	71	8	2000	Cu			
02	040	3	10	BKN	2993	78	71	6	2000	Cu			
03	040	3	10	BKN	2993	78	71	6	2000	Cu			
04	045	2	10	BKN	2991	78	71	6	2000	Cu			
05	045	1	10	BKN	2991	79	71	6	2000	Cu			
06	040	2	10	Sct	2993	79	72	5	2000	Cu			
07	040	2	10	Sct	2994	82	73	5	2000	Cu			
08	040	2	10	Sct	2995	83	74	4	2000	Cu			
09	040	2	10	Sct	2996	85	75	4	2000	Cu			
10	043	3	10	Sct	2996	85	75	4	2000	Cu			
11	040	4	10	Sct	2996	88	75	5	2000	Cu			
12	040	4	10	BKN	2996	88	75	6	2000	Cu			
13	040	4	10	BKN	2996	88	75	6	2000	Cu			
14	040	4	10	BKN	2996	88	75	6	2000	Cu			
15	040	4	10	BKN	2994	87	75	6	2000	Cu			
16	040	3	10	BKN	2995	87	75	6	2000	Cu			
17	040	3	10	BKN	2993	85	75	6	2000	Cu			
18	040	3	10	BKN	2992	84	74	6	2000	Cu			
19	040	3	10	BKN	2991	82	73	6	2000	Cu			
20	045	3	10	Sct	2993	81	71	5	2000	Cu			
21	045	3	10	Sct	2994	80	73	5	2000	Cu			
22	045	3	10	Sct	2995	79	73	5	2000	Cu			
23	045	3	10	Sct	2996	79	73	5	2000	Cu			
24	040	3	10	Sct	2996	79	72	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
2160

REMARKS

0000 Moored starboard side to in berth Alfa-Six. US Naval Station Pearl Harbor, Hawaii, with standard mooring lines doubled. Modified material condition yoke set. Ships present include various units of US Pacific Fleet, Yard, and district craft. Receiving fresh water and telephone service from the Pier. SOPA is ComSubPac Fwd.

LTJG LE Horton USN

0400 Moored as before. 0745 Mustered crew on Stations: Absentees: None.

LTJG LE Horton USN

APPROVED:

Lt. James R. Jakobsen U.S.N. COMMANDING

EXAMINED:

Sltg RS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 27 (Date) SEPTEMBER (Month), 19 64

08-12 moored as before. 1014 made daily inspection of magazines. Conditions: normal.

CWO, J.D. Hollis, USN

12-16 moored as before.

CWO, J.D. Hollis, USN

16-20 moored as before. 1800 set material Condition yoke (modified).

CWO, J.D. Hollis, USN

20-24 moored as before.

CWO, J.D. Hollis, USN

APPROVED: Capt James R. Blackburn U.S.N. COMMANDING

EXAMINED: Lt(jg) R.S. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE MONDAY (Day) 28 (Date) September (Month), 1964

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	Sct	2996	79	74	5	2000	Cu			
02	040	3	10	Sct	2995	78	73	5	2000	Cu			
03	040	3	10	Sct	2994	78	72	5	2000	Cu			
04	040	3	10	Sct	2994	78	72	5	2000	Cu			
05	040	3	10	Sct	2993	78	72	5	2000	Cu			
06	040	3	10	Sct	2993	78	72	5	2000	Cu			
07	040	3	10	Sct	2993	78	72	5	2000	Cu			
08	040	3	10	Sct	2994	79	72	5	2000	Cu			
09	065	3	10	BKN	2996	80	71	6	2000	Cu			
10	068	13	10	BKN	2995	81	71	7	2000	Cu	81	050	2
11	060	15	10	Sct	2994	85	73	4	2000	Cu	81	070	2
12	060	10	10	BKN	2994	87	75	7	2000	Cu	82	090	2
13	050	10	10	BKN	2993	85	73	7	2000	Cu	82	040	3
14	085	10	10	BKN	2992	84	73	7	2000	Cu	82	090	3
15	080	12	10	BKN	2990	80	73	7	2000	Cu	82	080	3
16	080	15	10	BKN	2992	79	73	7	2000	Cu			
17	084	15	10	Sct	2992	79	73	3	2000	Cu			
18	040	10	10	Sct	2991	79	73	3	2000	Cu			
19	040	5	10	Sct	2990	79	73	3	2000	Cu			
20	040	4	10	Sct	2991	78	73	4	2000	Cu			
21	040	4	10	Sct	2992	78	72	3	2000	Cu			
22	040	4	10	Sct	2993	78	72	3	2000	Cu			
23	040	4	10	Sct	2994	78	72	3	2000	Cu			
24	040	4	10	Sct	2994	78	71	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 63

FUEL CONSUMED 0000–2400: 1946

REMARKS

00-04 moored starboard side to berth alfa six (A-6) U.S. naval station, Pearl Harbor, Hawaii, with standard mooring lines doubled. material condition yoke (modified) set. Receiving potable water and telephone service from the pier. Ships present include various units of the U.S. Pacific Flt, district and small craft, plus units of allied navies. S.O.P.A. is Cin Cpac Flt.

CWO, J.D. Hollis, USN

04-08 moored as before. 0702 Wetzler, Kenneth J., SN, 391-18-19, USN Returned aboard from US naval station Brig pearl Harbor, Hawaii for Safe keeping since approximately 0830 9-26-64. 0710 mustered the crew at Quarters. absentees: none. 0715 Commenced preperations for getting underway. 0750 Set the Special Sea and anchor detail. 0748 Captain and navigator on the Bridge. all stations manned and

APPROVED: Lt. James R. Williamson U.S.N. COMMANDING

EXAMINED: Skyy D.S. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 28 (Date) September (Month) 1964

04-08 (con't) ready.

CWO. J.C. Hollis, USN

08-12 moored as before. 0800 underway in accordance with COMSERVPAC msg. 180432 Z maneuvering on various courses and speeds while clearing berth. 0809 passed Buoy #13 abeam to port, 50 yds. enroute to Berth Whiskey Four (W-4) on various courses & speeds. 0817 commenced turning to approach berth. 0833 moored stbd. side to and outboard of YF-692 at berth Whiskey Four. NAD Pearl Harbor, Hawaii. 0921 Captain had the Conn, commenced maneuvering to clear berth with YF-692 in tow. 0924 underway maneuvering on various courses & speeds to stream tow and transit the Charted Channel outbound. 0927 steady on course 095°, speed 6.7 Kts. 0928 OOD has the conn, maneuvering to stream tow and transit center of Charted channel. 0939 passed Buoy #3 abeam to stbd. 50 yds. 0941 passed West Loch Buoy 1 abeam to stbd. 100 yds. 0943 steady on course 170°, speed 6.7 Kts. 0951 passed buoy #9 abeam to stbd. 50 yds. outbound. 0953 C/C 153°, C/S 9.5 Kts. 0955 passed Buoy #5 abeam to stbd. 75 yds. 1004 passed Buoy #1 abeam to stbd. 100 yds. proceeding to Deep sea ammo dumping area. 1012 secured the special sea and anchor detail. The tow is at 900 feet on automatic. 1019 entered international waters. 1029 C/C 255°, C/S 12.3 Kts.

CWO J.C. Hollis, USN

08-12 (con't) Underway as before. 1041 C/S 13.3 Kts. 1045 made daily inspection of magazines. Conditions: Normal. 1110 C/C 290°.

LTJG F.E. Horton USN

12-16 Underway as before. 1215 C/C to 290 1223 C/C 310 1233 C/C to 320 1237 C/C to 310. 1239 C/S to 100 RPM. 1243 C/C to 317 1244 C/S to 75 RPM. 1248 Commenced dumping ammo. 1321 C/C 110 1323 Completed dumping ammo. 1327 C/S to 110 RPM 1338 C/C to 120° 1351 C/C to 110 1455 C/C to 075. 1525 Commenced making preparations for entering port. 1530 C/C to 060 1548 set the special sea and anchor detail 1551 Completed preparation for entering port Captain and Navigator are on the bridge steering various courses at various speeds while standing into Pearl Harbor. 1608 Buoy #2 abeam to starboard 1616 Buoy #4 abeam to starboard 1630 Buoy #6 abeam to stbd 1632 YTM 142 took YF 692 from 1634 Buoy #9 abeam to stbd 1640 Moored in berth Alfa Six, US Naval Base Pearl Harbor Hawaii. Solo'd Capt. Fl. 1648 secured the special sea and anchor detail.

Ens C.D. McKenzie, USNR

16-20 Moored as before. 1800 set Material Condition Yoke (Modified). 1830 received series-40 sled alongside to port (Hull No. 557)

Ltjg J.C. Hall, USNR

20-24 Moored as before.

Ltjg J.C. Hall, USNR

APPROVED: Lt. James R. Richardson U.S.N. COMMANDING

EXAMINED: Ltjg R.S. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Tuesday (Day) 29 (Date) September (Month) 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	Sct	2993	79	73	3	2000	Cu			
02	040	3	10	Sct	2991	79	73	3	2000	Cu			
03	040	3	10	Sct	2990	78	73	3	2000	Cu			
04	040	3	10	Sct	2992	79	72	2	2000	Cu			
05	040	3	10	Sct	2991	79	73	2	2000	Cu			
06	040	3	10	Sct	2991	79	73	2	2000	Cu			
07	060	3	10	Sct	2990	79	73	2	2000	Cu	80	070	3
08	044	7	10	Sct	2990	79	74	4	2000	Cu	80	070	3
09	044	12	10	Sct	2990	80	74	4	2000	Cu	80	090	3
10	080	18	10	Sct	2990	80	74	5	2000	Cu	80	090	3
11	080	18	10	Sct	2990	81	75	5	2000	Cu	80	085	3
12	080	12	10	Sct	2991	83	75	5	2000	Cu	81	080	4
13	080	14	10	Sct	2991	85	75	5	2000	Cu	81	075	4
14	080	16	10	Sct	2990	86	76	5	2000	Cu	81	070	3
15	085	13	10	Sct	2991	84	75	5	2000	Cu	81	060	3
16	050	11	10	Sct	2992	84	74	5	2000	Cu	81	060	3
17	050	12	10	Sct	2992	84	74	5	2000	Cu	81	060	3
18	050	12	10	Sct	2991	84	73	5	2000	Cu	81	060	3
19	050	12	10	Sct	2991	83	73	5	2000	Cu	81	060	3
20	050	12	10	Sct	2992	81	73	5	2000	Cu	81	060	3
21	050	5	10	Sct	2993	80	73	5	2000	Cu			
22	050	4	10	Sct	2993	79	73	5	2000	Cu			
23	050	3	10	Sct	2994	79	73	5	2000	Cu			
24	050	3	10	Sct	2994	78	73	5	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 123

FUEL CONSUMED 0000-2400: 2341

REMARKS

00-04 Moored portside to berth Alfa Six (A-6), U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition Yoke (modified) JOH set. Receiving potable water and telephone services from the pier. Ships present included various units of the U.S. Pacific Fleet, foreign, domestic and small craft. SOPA is COMCRUPACFLT. Series 40 sled alongside to port.

Sig JC Hall, USNR

04-08 Moored as before. 0415 Commenced preparations for getting underway. 0420 Mustered the crew on stations, absentees: none. 0440 Set the Special Sea and Anchor Detail. Captain and Navigator are on the bridge. Draft: 14' forward, aft 16'2". 0454 Underway in compliance with COMFLETPACFLT OPORDER 40-64 with Mod-557 Maneuvering to clear the berth. 0520 Steering various

APPROVED:

Lt. James R. Williamson U.S.N. COMMANDING

EXAMINED:

Sig RS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Tuesday (Day) 29 (Date) September (Month), 19 64

04-08 (Cont'd) courses at various speeds standing out of Pearl Harbor. 0507 Streamed 5-40 sled to 300 ft. 0513 Streamed 5-40 sled to 600 ft. 0517 Streamed 5-40 sled to 900 ft. 0519 Secured the special sea and Anchor Detail. Steady base course 154°, base speed 12.3 kt. 0529 C/S to 13.3 kt. 0531 Entered international waters. 0533 C/C to 130°. 0535 C/C to 120°. 0536 C/C to 130°. 0538 C/C to 120°. 0604 C/C to 180° 0614 C/S to 12.3 kt. C/S to 9.5 kt. Streamed sled to 1200 ft. 0620 C/S to 12.3 kt. 0704 C/C to 162° 0737 C/S to 13.3 kt.

Ltjg J.A. Hall, USNR

08-12 Underway as before. 0820 C/S 9.5 Kts. 0821 C/S 6.7 Commenced streaming Target to 3400 feet. 0825 C/C 090°. 0833 C/S 9.5 Kts. 0951 Commenced exercise 2-21-G with U.S.S. McCAIN (DL-3) 0910 made daily inspection of magazines. Conditions: normal. 1010 Reversed Course to 270°. 1013 Completed exercise 2-21-G with McCain. 1055 Commenced exercise 2-21-G with USS FLETCHER (DD-445) 1139 Completed exercise with FLETCHER. 1155 C/S 6.7 Kts.

CWO J.A. Hollis, USN

12-16 Underway As before. 1200 U.S.S. FLETCHER (DDE-445) COMMENCED GUNNERY EXERCISE 2-23-G. 1206 C/C TO 260° S/S TO 8.3 KTS. 1216 C/C TO 090° 1231 S/S TO 6.7 KTS. USS FLETCHER COMPLETED 2-23-G. 1355 S/S TO 8.3 KTS 1435 USS NICHOLAS (DD-449) COMMENCED GUNNERY EXERCISE 2-21-G. 1436 C/C TO 260° S/S TO 12.3 KTS 1502 C/C TO 100° 1516 S/S TO 6.7 KTS. 1520 C/C TO 080° 1522 S/S TO 8.3 KTS. 1537 C/C TO 070° 1540 S/S TO 12.3 KTS.

LTJG J.E. Horton USN

16-18 Underway as before. 1400 Completed Z-21-G with USS Nicholas (DD 449) 1412 C/S 50 RPM. 1616 C/C to 340° 1443 C/S to 110 RPM.

Ens C.P. McKenzie, USNR

18-20 Underway as before. 1817 C/C to 328° 1844 C/C to 325° 1853 C/C to 333° 1859 C/C to 335° 1907 C/C to 333° 1915 C/C to 338° 1919 Entered inland waters. 1920 Set the special sea and anchor detail. 1932 Maneuvering on various courses at various speeds while conforming to Pearl Harbor Channel. 1957 Moored port side to Berth A-5 Alpha Pier (A-5), U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. 2000 Secured the special sea and anchor detail. Series 40 sled. Sled secured Eastern

Ltjg J.A. Hall, USNR

20-24 Moored as before.

Ens C.P. McKenzie, USNR

APPROVED: Lt. James R. Robertson U.S.N. COMMANDING

EXAMINED: Ltjg D.S. Nasser U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Wednesday 30 September, 19 64
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	10	Sct	2993	79	72	3	2000	Cu			
02	040	3	10	Sct	2993	78	72	3	2000	Cu			
03	040	5	10	Sct	2992	78	72	3	2000	Cu			
04	040	5	10	Sct	2991	78	72	3	2000	Cu			
05	050	4	10	Sct	2991	79	72	3	2000	Cu	80	010	2
06	090	4	10	Sct	2990	80	73	3	2000	Cu	80	030	2
07	090	6	10	Sct	2990	80	73	3	2000	Cu	80	100	2
08	070	12	10	Sct	2990	81	74	3	2000	Cu	80	100	4
09	070	12	10	BKN	2991	85	74	7	2000	Cu	81	100	4
10	060	12	10	BKN	2991	85	75	6	2000	Cu	81	100	4
11	045	2	10	Sct	2991	83	75	4	2000	Cu	81	100	2
12	080	4	10	Sct	2991	83	75	4	2000	Cu	80	100	2
13	080	7	10	Sct	2991	83	76	4	2000	Cu	80	100	2
14	085	5	10	Sct	2992	83	76	4	2000	Cu	80	080	2
15	075	5	10	Sct	2991	83	74	4	2000	Cu	80	080	2
16	054	5	10	BKN	2990	83	73	7	2000	Cu	80	080	4
17	054	12	10	BKN	2988	83	73	7	2000	Cu	80	080	2
18	054	14	10	BKN	2989	84	73	7	2000	Cu	80	080	2
19	075	2	10	BKN	2989	84	72	7	2000	Cu	80	080	2
20	075	2	10	BKN	2990	82	72	7	2000	Cu	80	080	2
21	075	2	10	BKN	2990	80	72	6	2000	Cu	80	080	2
22	040	2	10	BKN	2991	80	72	7	2000	Cu	80	080	2
23	040	2	10	BKN	2992	79	72	7	2000	Cu			
24	040	2	10	BKN	2992	79	71	7	2000	Cu			

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 118

FUEL CONSUMED 0000-2400: 3050

REMARKS

00-04 Moored portside to in berth Alfa-five (A-5) Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition yoke modified is set. Receiving potable water and telephone services from the pier. Ships present include various units of the US Pacific Fleet, Ordnance and yard craft. SOPA is CINCPACFLT.

Ens C.F. McGee, USN

04-08 Moored as before 0400. Mustered the crew on stations. Operations: None. Commenced making preparations for getting underway. 0410 set the special sea and anchor detail. Captain and navigator are on the bridge. Light to light 16/32 ft. 0427 Ordered for local op-area in accordance with Comsubpac Tentative Weather op-order 40-64. Maneuvering to clear the berth steering various courses at various speeds while standing out of the harbor. 0441 Buoy 6 abeam to stbd. 0445 Buoy

APPROVED:

Lt Jr Grade Williams U.S.N. COMMANDING

EXAMINED:

Lt(jg) R.S. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ASQUAM (ATF-96) Wednesday (Day) / 30 (Date) September (Month) 64

04-08 (Cont'd) 4 ahead to part. ~~0450~~ Had weight to 900 feet. Buoy 2 ahead to port 0457 Secured the sea and anchor detail 0459 C/C to 179° 0508 C/C to 199° 0519 C/S to 110 RPM 0520 C/C to 197° 0638 C/C to 231° 0726 C/S to 100 RPM 0727 C/S to 75 RPM 0737 C/C to 180° 0747 C/C to 270°.

Ens C.P. McJorje, USNR

04-08 (Cont'd) Underway as before. 0726 C/S to 12.3 kt. 0727 C/S to 9.5 kt. 0731 C/S to 6.7 kt. Streamed 5-40 sleeve to 3400 ft. 0737 C/C to 180. 0747 C/C to 270°.

Lt J.C. Hall, USNR

08-12 Underway as before. 0845 Commenced exercising ~~services~~ for CASS McCAIN (DLG 3) while conducting Z-76-G. 0849 C/S to 9.5 kt. 0858 C/S to 6.7 kt. 0955 C/S to 9.7 kt. 1003 C/C to 070°. Completed Z-76-G. 1075 C/S to 6.7 kt. 1105 Made daily inspection of Magazines. Conditions Normal. 1114 C/C to 082°

Lt j.g. J.C. Hall, USNR

12-16 Underway as before. 1221 C/S to 9.5 kt. 1353 C/C 270° C/S 6.7 kts to 140 1459.5 kt. 1415 C/C to 240° 1417 C/S 3.3 kt. 1428 C/C 180° C/S 6.7 kts. 1429 C/S 9.5 kt. 1446 C/S 3.3 kt. 1455 C/S 6.7 kt. 1501 C/C 270° 1525 Commenced exercise Z-73-G with U.S.S. CRAFORD (DDE-446).

Cwo Jl Hollis, USN

16-18 Underway as before. 1605 C/S to 9.5 kt. 1611 C/S to 6.7 kt. 1629 C/S to 9.5 kts. C/S to 13.3 kts. 1630 C/C to 260° 1637 C/C to 270°. 1637 C/S to 9.5 kt. 1644 C/C to 160°. 1658 C/S to 3.3 kt. 1710 C/S to 6.7 kts. 1712 C/S to 12.3 kts. 1755 USS CRAFORD completed Z-23-G. 1755 C/C to 045°. 1758 C/C to 180°. 1759 C/C to 045°.

LTJG EE Slaton USN

18-20 Underway as before. 1800 C/C to 045 C/S to 100 RPM 1816 C/S to 75 RPM 1818 C/S to 100 RPM 1818 C/S to 110 RPM 1853 C/S to 115 RPM. 1954 C/S to 110 RPM

Ens C.P. McJorje, USNR

20-24 Underway as before. 2047 C/C to 034° 2204 C/C to 333° 2208 Entered inland waters. Left the special sea detail. Maneuvering various courses at various speeds conforming to Pearl Harbor Channel. 2234 Moored starboard side to berth Ofla Pine (A-5), U.S. Naval Station, Pearl Harbor Hawaii with standard mooring lines. 2242 Secured the special sea detail.

Lt j.g. J.C. Hall, USNR

APPROVED: Lt. James R. Williams U.S.N. COMMANDING

EXAMINED: Lt(jg) R.S. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000–2400

FUEL CONSUMED
0000–2400

REMARKS

APPROVED:

_____ U.S.N. COMMANDING

EXAMINED:

_____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Wednesday 30 Sep. 19 64
(Day) (Date) (Month)

2400-2400 MOORED AS BEFORE

LTJG J.E. Hartman USN

APPROVED:

LT. James R. Robertson U.S.N. COMMANDING

EXAMINED:

Ltjg R.S. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY	WEATH-ER	BAROM-ETER	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)	(Miles)	(Sym-bols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED: EXAMINED:

_____ U.S.N. COMMANDING _____ U.S.N. NAVIGATOR